

REFERENCES

- Amos, B. J. and de Keyser, F. (1964) Mossman, Queensland. 1:250,000 Geological Series. Explanatory Notes. SE/55-1. Bureau of Mineral Resources, Australia.
- Arnold, G. O. and Fawcett, J. F. (1980) *The Broken River and Hodgkinson Provinces*. In: The Geology and Geophysics of Northeastern Australia (Eds. R. A. Henderson and P. J. Stephenson) Geological Society of Australia, Queensland Division. pp. 175-189.
- Bain, J. H. C. and Haipola, D. (1997) North Queensland Geology (1:1,000,000 scale map). Australian Geological Survey Organisation.
- Baseden, S., Wooley, A. and Moody, P. (1974) Methods of analysis, soils, plants and water. Department of the Northern Territory, Darwin.
- Beadle, N. C. W. (1981) The vegetation of Australia. Cambridge University Press, Cambridge.
- Beale, E. M. and Little, R. J. A. (1975) Missing values in multivariate analysis. *Journal of the Royal Statistical Society, Series B*, 37: 129-145.
- Belbin, L. (1993a) PATN Technical Reference Manual. CSIRO Division of Wildlife and Ecology.
- Belbin, L. (1993b) PATN Users Guide. CSIRO Division of Wildlife and Ecology.
- Brown, B. N. (1976) *Phytophthora cinnamomi* associated with patch death in tropical rain forests in Queensland. Australian Plant Pathology Society Newsletter 5(1): 1-4.
- Brown, B.N. (1999) *Occurrence and impact of Phytophthora cinnamomi and other Phytophthora species in the rainforests of the Wet Tropics World Heritage Area, and of the Mackay Region, Qld.* In: Patch Deaths in Tropical Queensland Rainforests: association and impact of *Phytophthora cinnamomi* and other soil borne organisms (Ed. P. A. Gadek) Cooperative Research Centre for Tropical Rainforest Ecology and Management. pp. 41-76.
- Bryde, C. W. L. (1977) From Chart House to Bush Hut. City Printing Works, Rockhampton.
- Bultitude, R. J., Champion, D. C., Rienks, I. P., Stephenson, P. J. and Fanning, C. M. (1997) *North Queensland Volcanic and Plutonic Province*. In: Geology of the Innisfail Region (Compilers R. J. Bultitude and P. D. Garrad) Queensland Geological Record 1997/2. Department of Mines and Energy Queensland. pp. 79-110.
- Chapman, C. (1965) *Cation-exchange capacity*. In: Methods of Soil Analysis (Ed. C. A. Black) American Society of Agronomy, Madison. pp. 891-895.
- Chen, Y. (1986) Early Holocene Vegetation Dynamics of Lake Barrine Basin, Northeast Queensland, Australia. PhD Thesis, Australian National University, Canberra.
- Chen, Y. (1988) Early Holocene population expansion of some rainforest trees at Lake Barrine basin, Queensland. *Australian Journal of Ecology* 13: 225-233.
- Colewell, J. D. (1963) The estimation of the phosphorus fertiliser requirements of wheat in southern New South Wales by soil analysis. *Australian Journal of Experimental Agriculture and Animal Husbandry* 3: 190-198.

Condit, R. (1998) Tropical Forest Census Plots: Methods and Results from Barro Colorado Island, Panama and a Comparison with Other Plots. Springer-Verlag Berlin Heidelberg New York.

Connell, J. H. and Green, P. T. (2000) Seedling dynamics over thirty-two years in a tropical rainforest tree. *Ecology* 81: 568-584.

Connell, J. H., Tracey, J. G. and Webb, L. J. (1984) Compensatory recruitment, growth, and mortality as factors maintaining rain forest tree diversity. *Ecological Monographs* 54: 141-164.

Coventry, R. J. and Fett, D. E. R. (1979) A pipette and sieve method of particle size analysis and some observations on its efficacy. CSIRO Australia Division of Soils Divisional Report No. 38.

de Keyser, F., Fardon, R. S. H. and Cuttler, L. G. (1972) Ingham, Queensland 1:250,000 Geological Series. Explanatory Notes. SE/55-10. Bureau of Mineral Resources, Australia.

Etheridge, R. D., Pesti, G. M. and Foster, E. H. (1998) A comparison of Nitrogen values obtained utilising the Kjeldahl Nitrogen and Dumas combustion methodologies (Leco CNS-2000) on samples typical of an animal nutrition analytical laboratory. *Animal Feed Science and Technology* 73: 21-28.

Gillman, G. P. (1979) A proposed method for the measurement of exchange properties of highly weathered soils. *Australian Journal of Soil Research* 17: 129-139.

Gillman, G. P. and Sumpter, E. A. (1986) Modification to the compulsive exchange method for measuring exchange characteristics of soils. *Australian Journal of Soil Research* 24: 61-6.

Grove, S. J., Turton, S. M. and Siegenthaler, D. T. (2000) Mosaics of openness induced by tropical cyclones in lowland rain forests with contrasting management histories in northeastern Australia. *Journal of Tropical Ecology* 16: 883-894.

Honda, C. (1962) Rapid determination of nitrogen in soil by Kjeldahl method. *Journal of Soil Science and Manure (Plant Nutrition)* 33: 195-200.

Hopkins, M. S. and Johnson, R. (1995) The development of a plot-based monitoring strategy for assessing changes in World Heritage Values in the Wet Tropics. A report prepared for the Wet Tropics Management Authority. CSIRO Division of Wildlife and Ecology, Tropical Forest Research Centre, Atherton. Report No. VM 1/0695-5.

Hopkins, M. S., Ash, J. E., Graham, A. W., Head, J. and Hewett, R. K. (1993) Charcoal evidence for the spatial extent of the *Eucalyptus* woodland expansions and rainforest contractions in North Queensland during the late Pleistocene. *Journal of Biogeography* 20: 357-72.

Hopkins, M. S., Graham, A. W., Jensen, R., Maggs, J., Bayly, B. and Hewett, R. K. (1996) Succession and Disturbance in the Remnant Rainforest Type Complex Notophyll Vine Forest on Basalt (Type 5b). II. The Floristics of Type 5b on the Atherton Tableland. A report prepared for the Wet Tropics Management Authority. CSIRO Division of Wildlife and Ecology, Tropical Forest Research Centre, Atherton. Report No. VM 1/0296-7.

- Hopkins, M. S., Reddell, P., Hewett, R. K. and Graham, A. W. (1998) Studies on the ecology and distribution of feather and fan palm forests in the Wet Tropics region of North Queensland. I. Structure and distribution. A report prepared for the Wet Tropics Management Authority. CSIRO Wildlife and Ecology, Tropical Forest Research Centre, Atherton. Report No. VM 1/0798-10.
- Hua, Q., Jacobsen, G. E., Zoppi, U., Lawson, E. M., Williams, A. A., Smith, A. M. and McGann, M. J. (2001) Progress in radiocarbon target preparation at the ANTARES AMS Centre. *Radiocarbon* 43(2A): 275-282.
- Hyland B. P. M., Whiffin, T., Christophel, D. C., Gray, B., Elick, R. W. and Ford, A. J. (1999) Australian Tropical Rainforest Trees and Shrubs. CSIRO Australia.
- Hyland, B. P. M. and Whiffin, T. (1993) Australian Tropical Rainforest Trees. An Interactive Identification System. Volume 2. CSIRO Australia.
- Laffan, M. D. (1988) Soils and Land Use on the Atherton Tableland, North Queensland. Soils and Land Use Series No. 61. CSIRO Division of Soils, Canberra.
- Lawson, E. M., Elliott, G., Fallon, J., Fink, D., Hotchkis, M. A. C., Hua, Q., Jacobsen, G. E., Lee, P., Smith, A. M., Tuniz, C. and Zoppi, U. (2000) AMS at ANTARES – The first 10 years, Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms 172: 95-99.
- Loveday, J. (1974) Methods for analysis of irrigated soils. Technical Communication No. 54, Commonwealth Bureau of Soils. Commonwealth Agricultural Bureaux.
- Matejovic, I. (1997) Determination of Carbon and Nitrogen in samples of various soils by the dry combustion. *Communications in Soil Science and Plant Analysis* 28: 1499-1511.
- McIntyre, D. S. (1974) *Procuring undisturbed cores for soil physical measurements*. In: Methods for analysis of irrigated soils (Ed. J. Loveday) Technical Communication No. 54, Commonwealth Bureau of Soils. Commonwealth Agricultural Bureaux. pp. 154-165.
- McIntyre, D. S. and Barrow, K. J (1972) An improved sampling method. *Soil Science* 114(3): 239-241.
- McMahon, J. P., Hutchinson, M. F., Nix, H. A. and Ord, K. D. (1995) ANUCLIM user's guide, version 1. Centre for Resource and Environmental Studies, Australian National University, Canberra.
- Mook, W. G. and Streurman, H. J. (1983) *Physical and chemical aspects of radiocarbon dating*. In: The Proceedings of the First International Symposium on ^{14}C and Archaeology, (Eds. W.G. Mook and H.T. Waterbolk), PACT (Journal of the European Study Group on Physical, Chemical and Mathematical Techniques applied to Archaeology) 8. pp. 31-55.
- Murphy, J. and Riley, J. P. (1962) A modified single solution method for the determination of phosphate in natural water. *Analytica Chimica Acta* 27: 31-36.
- Northcote, K. H. (1979) A factual key for the recognition of Australian soils. Second edn. CSIRO Division of Soils, Divisional Report No. 2/65, Adelaide.
- Northcote, K. H. (1979) A factual key for the recognition of Australian soils. Fourth edn. Rellim Tech Publs, Glenside, South Australia.

Proctor-Gray, E. (1985) The behaviour and ecology of Lumholtz's Tree-kangaroo, *Dendrolagus lumholtzi* (Marsupiala: Macropodidae). University Microfilms International, Ann Arbor Michigan.

Queensland Herbarium (2002) Names and distribution of Queensland Plants Algae and Lichens. Ed. by R. J. F. Henderson. Queensland Herbarium, Environmental Protection Agency, Toowoong.

Rayment, G. E. and Higginson, F. R. (1992) Australian Laboratory Handbook of Soil and Water Chemical Methods. Inkata Press, Melbourne.

Rees, M., Condit, R., Crawley, M., Pacala, S. and Tilman, D. (2001) Long-term studies of vegetation dynamics. *Science* 293 (5530): 650-655.

Rich, C. I. (1971) Glossary of soil science terms. Madison, USA Soil Science Society of America.

Soil Survey Staff (1951) Soil survey manual. Handbook US Department of Agriculture No. 18. Government Printer, Washington DC.

Sommers, L. E. and Nelson, D. W. (1974) Determination of total phosphorus in soils: a rapid perchloric acid digestion procedure. A contribution of the Agricultural Experimental Station, Purdue University, Lafayette, IND. 47907. Purdue Journal Paper No. 4675. (For a similar procedure see Sommers, L. E. and Nelson, D. W. (1972) *Soil Science Society of America Proceedings* 36(6): 902-904).

Speight, J. G. (1984) *Landform*. In: Australian soil and land survey field handbook (Eds. R. C. McDonald, R. F. Isbell, J. G. Speight, J. Walker and M. S. Hopkins) Inkata Press, Melbourne. pp.8-43.

Stephenson, P. J., Griffin, T. J. and Sutherland, F. L. (1980) *Cainozoic Volcanism in Northeastern Australia*. In: The Geology and Geophysics of Northeastern Australia (Eds. R. A. Henderson and P. J. Stephenson) Geological Society of Australia, Queensland Division. pp. 349-374.

Stocker, G. C. (1983) Aspects of the dynamics of rainforests in north east Australia. PhD Thesis, The University of New England.

Stocker, G. C. and Unwin, G. L. (1989) *The rain forests of northeastern Australia – their environment, evolutionary history and dynamics*. In: Tropical Rain Forest Ecosystems, Biogeographical and Ecological Studies (Eds H. Lieth and M. J. A. Werger). Elsevier, Amsterdam. pp.241-259.

Stuiver, M. (1983) Business meeting: international agreements and the use of the new oxalic acid standard. *Radiocarbon* 25(2): 793-795.

Stuiver, M., and Reimer, P. J. (1993) Extended ^{14}C database and revised CALIB radiocarbon calibration program. *Radiocarbon* 35(1): 215-230.

Stuiver, M., Reimer, P. J. and Braziunas, T. F. (1998a) High precision radiocarbon age calibration for terrestrial and marine samples. *Radiocarbon* 40: 1127-1151.

Stuiver, M., Reimer, P. J., Bard, E., Beck, J. W., Burr, G. S., Hughen, K. A., Kromer, B., McCormac, G., van der Plicht, J. and Spurk, M. (1998b) INTCAL98 radiocarbon age calibration 24,000 – 0 cal BP. *Radiocarbon* 40(3): 1041–1083.

- Teakle, L. J. H. (1950) Notes on the soils of coastal Queensland and portions of the hinterland with special reference to the tropical latitudes. The University of Queensland Faculty Agricultural Papers 1, 1-40.
- Tracey, J. G. (1982) The vegetation of the humid tropical region of North Queensland. CSIRO Australia. Division of Plant Industry, Indooroopilly.
- Tracey, J. G. and Webb, L. J. (1975) Vegetation of the humid tropical region of North Queensland . (15 maps at 1:100,000 scale and key). CSIRO Australia. Long Pocket Laboratories, Indooroopilly, Queensland.
- Turton, S. M. (1999) The Australian Canopy Crane Facility and Immediate Environs. Status Report following Tropical Cyclone 'Rona' presented to the Australian Research Council. School of Tropical Environment Studies and Geography, James Cook University, Cairns.
- Turton, S. M. and Siegenthaler, D. T. (2004) Immediate impacts of a severe tropical cyclone on the microclimate of a rain-forest canopy in north-east Australia. *Journal of Tropical Ecology* 20: 583-586.
- Turton, S. M., Hutchinson, M. F, Accad, A., Hancock, P. E. and Webb, T. (1999) *Producing fine-scale rainfall climatology surfaces for Queensland's wet tropics region*. In: Geodiversity: Readings in Australian Geography at the close of the 20th Century. (Eds. J. A. Kesby, J. M. Stanley, R. F. McLean and L. J. Olive). Special Publication Series No. 6, Canberra, ACT, School of Geography and Oceanography, University College, ADFA. pp. 415-428.
- Unwin, G. L (1983) Dynamics of the Rainforest-eucalypt forest boundary in the Herberton Highland North Queensland. M.Sc. Thesis. James Cook University, Townsville.
- Unwin, G. L. (1989) Structure and composition of the abrupt rainforest boundary in the Herberton Highland, North Queensland. *Australian Journal of Botany* 37: 413-28.
- Unwin, G. L., Applegate, G. B., Stocker, G. C. and Nicholson, D. I. (1988) Initial effects of Tropical Cyclone 'Winifred' on forests in north Queensland. *Proceedings of the Ecological Society of Australia* 15: 283-296.
- Unwin, G. L., Stocker, G. C. and Sanderson, K. D. (1985) Fire and the forest ecotone in the Herberton Highland, North Queensland. *Proceedings of the Ecological Society of Australia* 13: 215-224.
- USDA (1996) USDA Soil Survey Laboratory Methods Manual method 3A1, Soil Survey Investigation Report No. 42 Version 3.0 (1996) pp 31-40.
- Walker, J. and Hopkins, M. S. (1984) *Vegetation*. In: Australian soil and land survey field handbook. (Eds. R. C. McDonald, R. F. Isbell, J. G. Speight, J. Walker and M. S. Hopkins) Inkata Press, Melbourne. pp. 44-67.
- Walkley, A. and Black, I. A. (1934) An examination of the Degtjareff method for determining soil organic matter and a proposed modification of the chromic acid titration method. *Soil Science* 37: 29-38.
- Webb, L. J. (1959) A physiognomic classification of Australian rainforests. *Journal of Ecology* 47: 551-570.
- Webb, L. J. (1968) Environmental relationships of the structural types of Australian rainforest vegetation. *Ecology* 49: 296-311.

Webb, L. J. (1978) A general classification of Australian rainforests. *Australian Plants* 9: 349-363.

Webb, L. J. and Tracey, J. G. (1981) *Australian rainforests: patterns and change*. In: Ecological Biogeography of Australia. (Ed. A. Keast) Dr W. Junk, The Hague-Boston-London. pp 607-694.

West, P. W., Stocker, G. C. and Unwin, G. L. (1988) Environmental relationships and floristic and structural change in some unlogged tropical rainforest plots of north Queensland. *Proceedings of the Ecological Society of Australia* 15: 49-60.

Whitaker, W. G. and Gibson, D. L. (1977) Coen Queensland 1:250,000 Geological Series. Bureau of Mineral Resources, Australia, Explanatory Notes SD54-8.

Whitehead, P. and McDougall, I. (1991) The geomorphological evolution of the Atherton Tableland, North Queensland. The Australian National University, Research School of Earth Science, Annual Report 1991, 109-110.

Williams, W. T. and Tracey, J. G. (1984) Network analysis of northern Queensland tropical rainforests. *Australian Journal of Botany* 32: 109-116.

Willmott, W. F., Trezise, D. L. and O'Flynn, M. L. (1988a) Cairns Region. Sheets 8064 and 8063 (part). 1:100,000 geological map. Queensland Department of Mines.

Willmott, W. F., Trezise, D. L., O'Flynn, M. L., Holmes, P. R. and Hoffman, G. W. (1988b) Cairns Region. Sheets 8064 and 8063 (part). 1:100,000 geological map commentary. Queensland Department of Mines.

Yuan, T. L. (1959) Determination of exchangeable hydrogen in soils by titration method. *Soil Science* 88: 164-167.