

VERTEBRATE ATLAS



Vertebrates of the Wet Tropics Rainforests of Australia

Species Distributions
and Biodiversity

Stephen E. Williams



Rainforest CRC

Cooperative Research Centre for Tropical Rainforest Ecology and Management

VERTEBRATES OF THE WET TROPICS RAINFORESTS OF AUSTRALIA

SPECIES DISTRIBUTIONS AND BIODIVERSITY

Stephen E. Williams

School of Tropical Biology, James Cook University
and Rainforest CRC



Rainforest CRC



Established and supported under the
Australian Cooperative Research Centres Program

© Cooperative Research Centre
for Tropical Rainforest Ecology
and Management.

ISBN 0 86443 762 5

This work is copyright. The Copyright Act 1968 permits fair dealing for study, research, news reporting, criticism or review. Selected passages, tables or diagrams may be reproduced for such purposes provided acknowledgment of the source is included. Major extracts of the entire document may not be reproduced by any process without written permission of the Chief Executive Officer, Cooperative Research Centre for Tropical Rainforest Ecology and Management.

Published by the Cooperative Research Centre for Tropical Rainforest Ecology and Management. Further copies may be requested from the Cooperative Research Centre for Tropical Rainforest Ecology and Management, James Cook University, PO Box 6811, Cairns QLD Australia 4870.

This publication should be cited as: Williams, S. E. (2006) Vertebrates of the Wet Tropics Rainforests of Australia: Species Distributions and Biodiversity. Cooperative Research Centre for Tropical Rainforest Ecology and Management. Rainforest CRC, Cairns, Australia (282 pp.)

May 2006

Photographs contained within this report including cover photographs are copyright.

Cover Images ©

Top: Amethystine Python, *Morelia kinghorn* (Photo: Stephen E. Williams)
Centre: Superb Fruit-Dove, *Ptilinopus superb* (Photo: Michael Cermak)
Bottom: White-lipped Treefrog, *Litoria infrafrenata* (Photo: Stephen E. Williams)

Colour Plates ©

Plate 1: Wompoo Fruit-Dove, *Ptilinopus magnificus* (Photo: Michael Cermak)
Plate 2: Southern Cassowary, *Casuarius casuarius* (Photo: Michael Cermak)
Plate 3: Boyd's Forest Dragon, *Hypsilurus boydii* (Photo: Stephen E. Williams)
Plate 4: Green-eyed Treefrog, *Litoria genimaculata* (Photo: Stephen E. Williams)

To request further copies of this document or to request individual maps, contact the author by email: Stephen.Williams@jcu.edu.au

Layout by Shannon Hogan and Annette Bryan.
The Rainforest CRC extends thanks to Michael Cermak for use of photographs.

CONTENTS

List of Tables	ii
List of Figures	ii
Colour Plates	iii
Foreword	vii
Acknowledgements	vii
Index to Maps	viii
1. Introduction.....	1
1.1. Global Climate Change in the Wet Tropics.....	6
2. Methods.....	9
2.1. Distribution Data	9
2.2. Distribution Maps	9
2.2.1. Bioclimatic Models of Species Distribution	9
2.2.2. Biogeographic Limits.....	10
2.2.3. Habitat Preference	10
2.2.4. Prediction of Climate Change Impacts.....	11
2.2.5. Species Richness Maps.....	11
3. Results, Discussion and Maps.....	13
3.1. Species Distribution Maps	13
3.2. Species Richness	14
4. References	17
5. Appendices	23
A. Full Species List of Vertebrates that Occur in the Wet Tropics Biogeographic Region (Including Mount Elliot, a Wet Tropics Outlier)	23
B. Species Richness Maps and Species Distribution Maps.....	57
C. Electronic Version of <i>Vertebrates of the Wet Tropics Rainforests of Australia: Distributions and Biodiversity</i> (CD-ROM)	Enclosed

LIST OF TABLES

Table 1: Summary of terrestrial vertebrate species richness in the Wet Tropics by taxonomic class	14
Table 2: Summary of the number of species by conservation status	15
Table 3: Number of species that utilise rainforest to varying degrees in the Wet Tropics.....	15
Table 4: Full species list of vertebrates that occur in the Wet Tropics biogeographic region (including Mount Elliot, a Wet Tropics outlier)	27

LIST OF FIGURES

Figure 1: The distribution of rainforests within the Wet Tropics bioregion	3
Figure 2: Subregions of the Wet Tropics bioregion. Upland subregions more than three hundred metres above sea level are indicated in blue in the legend.....	4
Figure 3: Changes across the elevational gradient in bird species richness and abundance	6

COLOUR PLATES

Plate 1: Wompoo Fruit-Dove, <i>Ptilinopus magnificus</i> (Map 49)	iii
Plate 2: Southern Cassowary, <i>Casuarius casuarius</i> (Map 39)	iv
Plate 3: Boyd's Forest Dragon, <i>Hypsilurus boydii</i> (Map 130)	v
Plate 4: Green-eyed Treefrog, <i>Litoria genimaculata</i> (Map 162).....	vi