

| Bibliography | biology | subject | management | ecology | species | recovery plan | web site |
|---|---------|--------------|------------|---------|----------------------------------|---------------|----------|
| ACIL (1995). The economic impact of rabbits on agricultural production in Australia: a preliminary assessment. Unpublished report, ACIL Economics & Policy, Canberra. | | rabbits | management | | | | |
| Agricultural Protection Board (1993). Trial use of 1080 to control feral goats in Western Australia. pp10 Report & recommendations of the Environmental Protection Authority. Bulletin No. 719 Agricultural Protection Board of Western | | poison | management | | | | |
| Algar, D. & Kinnear, J.E. (1992). Cyanide baiting to sample fox populations & measure changes in relative abundance. In: Wildlife Rabies Contingency Planning in Australia: National Wildlife Rabies Workshop, March 1990. P. O'Brien & G. Berry | | fox | management | | | | |
| Allen, G.R. (1982). A Field Guide to Inland Fishes of Western Australia. Western Australian Museum, Perth | biology | fish | | | | | |
| Allen, G.R. (1989). Australia's threatened fishes. In: Allen, G.R. 'Freshwater Fishes of Australia'. pp.222-224 T.F.H. | biology | fish | | | | | |
| Allen, G.R., (1989). Freshwater fishes of Australia. TFH | biology | fish | | | | | |
| Allen, L.R., & Lee, J.M., (1995). The management of feral goat impact on Townsend Island. Progress report to the Department of Defence, Queensland Department of Lands. | | goat | management | | | | |
| Anderson, J.R. (1989). Status of fish - issues & discussion points. pp.149-151 In: Proceedings of the Workshop on Native Fish Management Canberra, 16-17 June 1988. Murray | | fish | management | | | | |
| Anderson, J.R. (1989). Status of fish - issues & discussion points. pp.1-6 In: Murray-Darling River Commission. Proceedings of the Workshop on Native Fish Management. The | biology | fish | | | | | |
| Anon. (1989). The state of the environment. Australian | | fish | management | | | | |
| Anon. (1991). Australian threatened fishes - supplement. Australian Society for Fish Biology Newsletter, 21 : 11-13. | biology | fish | | | | | |
| Anon. (1974). Endangered native fish. Fisheries & Wildlife Division, Victoria : Freshwater Fish Newsletter, 7 : 9-15. | biology | fish | | | | | |
| Anon. (1997). The impact of RCD in Autumn. Report to ARMCANZ & ANZECC from the RCD Monitoring & | | rabbits | management | | | | |
| ANZECC, (1991). List of Endangered Vertebrate Fauna. Australian National Parks & Wildlife Service, Canberra. | biology | fish | management | | | | |
| Applied Biotechnologies. (1996). Development & testing of an improved bait for control of feral cats. Unpublished final report to the Department of Conservation, New Zealand. | | cat | management | | | | |
| Armstrong, P. (1982). Rabbits (<i>Oryctolagus cuniculus</i>) on islands: a case study of successful colonisation. Journal of | | rabbits | management | | | | |
| Arthington, A.H. (1988). The distribution, characteristics & conservation status of lakes in the wet tropics & subtropics of Queensland. Proceedings of the Ecological Society of Australia, | | wetlands | | ecology | | | |
| Arthington, A.H., (1991). Ecological & genetic impacts of introduced & translocated freshwater fishes in Australia. Can. J. | biology | fish | | ecology | | | |
| Arthington A.H., R.J. McKay & D.A. Milton, (1983). Effects of urban development & habitat alteration on the distribution & abundance of native & exotic fish in the Brisbane region, | biology | fish | | ecology | | | |
| Arthington, A. H., & Bluhdorn, (1994). Distribution, genetics, ecology & status of the introduced cichlid, <i>Oreochromis mossambicus</i> , in Australia International Association of | biology | cichlid | | ecology | | | |
| Arthington, A. H., & Mitchell, D.S., (1986). Aquatic invading species in Groves, R. H. & Burdon, J. J., (eds.) Ecology of Biological Invasions Cambridge University Press, Cambridge. | | | | ecology | | | |
| Arthington, A.H., Kailola, P.J., Woodland, D.J., & Zalucki, J.M. (1999). Baseline Environmental Data Relevant to an evaluation of Quarantine Risk Potentially associated with the importation to Australia of Ornamental Finfish. Report to the Australian Quarantine & Inspection Service, Department of | biology | fish | management | ecology | | | |
| Arthington, A.H. & L.N. Lloyd, (1989). Introduced Poeciliids in Australia & New Zealand. In: G.K. Meffe & F.F. Snelson (Eds.) Ecology & Evolution of Livebearing Fishes (Poeciliidae). | biology | fish | | | | | |
| Arthington, A., & McKenzie (1997). Review of Impacts of Displaced/Introduced Fauna associated with Inland Waters Technical Paper Series (Inland Waters) Environment Australia, Community Information Unit Department of Environment, | | | management | | | | |
| Auld, T.D., (1993). The impact of grazing on regeneration of the shrub <i>Acacia carnei</i> in arid Australia. Biol. Conserv. 65:165- | | goat | management | | | | |
| Australian Nature Conservation Agency (2000). Introduced Wild Animals in Australia Australian Nature Conservation Agency GPO Box 636 Canberra ACT 2601 | | mammals | management | | | | |
| Aviss, M. & A. Roberts. , A. (1994). Pest fences: notes & comments. Threatened Species Occasional Publication No. 5, Department of Conservation, Wellington, New Zealand. | | fox, mammals | management | | | | |
| Baldwin, S.A. (1980). The domestic cat, <i>Felis catus</i> L., in the Pacific Islands. Carniv.Genet. News1.41: 57 | biology | cat | | | | | |
| Balla, S. A. (1992). Managing Perth's wetlands to conserve the aquatic fauna. Ph.D. Thesis, Murdoch University, Perth. | | fish | management | | | | |
| Barlow, C.G., A.E. Hogan & L.J. Rodgers, (1987). Implication of translocated fishes in the apparent extinction in the wild of the Lake Eacham rainbowfish, <i>Melanotaenia eachamensis</i> . Aust. J. Mar. Freshw. Res. 38. 897-902. | biology | fish | | ecology | species Lake Eacham Rainbow fish | | |
| Barnes, A. D. (1983) Explosives for destroying rabbit warrens. Agfact A9.0.8, Department of New South Wales Agriculture, | | rabbits | management | | | | |
| Barratt, D. (1995-96) The good, the bad & the uncertain. Wildlife Australia, Summer Edition, pp. 3-5. | biology | | management | | | | |
| Bates, R. (1996). Recovery Plan for White Spider orchid <i>Caladenia rigida</i> R. Rogers. Department of Environment & | | | | | | recovery plan | |
| Bayliss, P., & Yeomans K., (1989). Distribution & abundance of feral livestock in the 'Top End' of the Northern Territory (1985-86), & their relation to population control. Aust. Wildl. | | mammals | management | | | | |

| | | | | | |
|---|---------|-------------|------------|---------|-----------------|
| Bayne, P., Harden, B., Pines, K., & Taylor, U., (2000). Controlling feral goats by shooting from a helicopter with & without the assistance of ground-based spotters. <i>Wildlife</i> | | goats | management | | |
| Belcher, C. A. (1995). Diet of the tiger quoll (<i>Dasyurus maculatus</i>) in East Gippsland, Victoria. <i>Wildlife Research</i> 22: | biology | tiger quoll | | | |
| Bence, J. R. (1988). Indirect effects & biological control of mosquitoes by mosquitofish. <i>Journal of Applied Ecology</i> , 25, | | gambusia | management | | |
| Benshemesh, J. (1998). National Recovery Plan for Malleefowl. Threatened Species Network South Australia | | | | | recovery plan |
| Billing, J., (2000). The control of introduced <i>Rattus rattus</i> L. on Lord Howe Island II. The responses of mouse populations to Warfarin bait used to control rats. <i>Wildlife Research</i> 27(5) 659- | | rat, mice | management | | |
| Biodiversity Group, Environment Australia (1996). Draft threat abatement plan for predation by the European red fox. Invasive Species Program, Australian Nature Conservation Agency, | | fox | management | | |
| Bishop, K.A. & J.D. Bell, 1978.Observations on the fish fauna below Tallowa Dam (Shoalhaven River, New South Wales) during river flow stoppages. <i>Aust. J. Mar. Freshw. Res.</i> 29. | | fish | | ecology | |
| Bludhorn, D.R., A.H. Arthington & P.B. Mather, (1990). The introduced cichlid, <i>Oreochromis mossambicus</i> in Australia: a review of distribution, population genetics, ecology, management issues & research priorities. In: <i>Introduced & Translocated Fishes & their Ecological Effects</i> (Ed. D. Pollard). | biology | fish | | | species cichlid |
| Blyth, J. (1996). Night Parrot (<i>Pezoporus occidentalis</i>) Interim Recovery Plan For Western Australia 1996 to 1998. Threatened Species & Communities Unit, Department of Conservation & | | | | | recovery plan |
| Bomford, M. (1990). A role for fertility control in wildlife management? Bureau of Rural Resources, Bulletin no. 7, | biology | mammals | management | | |
| Bomford, M. & O'Brien, P. (1995). Eradication or control for vertebrate pests? <i>Wildlife Society Bulletin</i> 23: 249-255. | | mammals | management | ecology | |
| Bomford, M., Newsome, A. & O'Brien, P. (1996). Solutions to feral animal problems: ecological & economic principles. In: <i>Conserving Biodiversity: Threats & Solutions</i> , R.A. Bradstock, T.D. Auld, D.A.Keith, R.T. Kingsford, D. Lunney & D.P. | | mammals | management | | |
| Bowman D.M.J.S., & McDonough, L., (1991). Feral Pig (<i>Sus scrofa</i>) rooting in a monsoon forest-wetland transition, Northern Australia <i>Wildlife Research</i> (18) 761-5 | | pigs | | ecology | |
| Braysher, M. (1993). Managing vertebrate pests: principles & strategies. Bureau of Resource Sciences, AGPS, Canberra. | | mammals | management | | |
| Brinkman, R. & Farrell, S. (1990).Distribution of significant native fish populations. In: 'Otway Forest Management Area Statement of Resources, Uses & Values'. pp.52-54 Department | biology | fish | | | |
| Broome, L.S. (1996). Draft Recovery Plan for the Mountain Pygmy-possum (<i>Burramys parvus</i>) in New South Wales. New South Wales National Parks & Wildlife Service, Snowy | | | | | recovery plan |
| Brothers, N. P., Eberhard, I. E., Copson, G. R., & Skira, I. J. (1982). Control of rabbits on Macquarie Island by myxomatosis. <i>Australian Wildlife Research</i> 9: 477-485. | | rabbit | management | | |
| Brown P.R. (1989). Management plan for the conservation of the eastern barred bandicoot, <i>Perameles gunnii</i> , in Victoria. Arthur Rylah Institute for Environmental Research Tech. Rep. Ser. No. 63. Department of Conservation, Forests & Lands, | | | management | | species |
| Brown, A.M., (1987). Genetic aspects of the propagation & dispersal of fishes. In: <i>Proceedings of the Australian Society for Fish Biology Conference on Australian Threatened Fishes</i> . | biology | fish | | ecology | |
| Brown, J. H., (1989). Patterns, modes & extents of invasions by vertebrates in Drake J.A., Mooney, H. A., di Castri, F., Groves, R.H., Kruger, F. J., Rejmanek, M., & Williamson, M., (eds.) <i>Biological Invasions: a global perspective</i> . SCOPE 37 | | | management | ecology | |
| Brunner, H. (1983) Bait acceptance by non-target mammal species in simulated rabbit poisoning trials. <i>Australian Wildlife</i> | | rabbit | management | | |
| Burbidge, A. (1996). Antina (<i>Zyzyomys pedunculatus</i>) Interim Recovery Plan 1996 to 1998. Western Australian Threatened Species & Communities Section, Department of Conservation & | | | management | | |
| Burbidge, A. (ed.) (1989a). Australian & New Zealand islands: nature conservation values & management. Occasional Paper 2/89, Department of Conservation & Land Management, Perth. | | | management | | |
| Burbidge, A. & Kuchling, G. (1997). Western Swamp Tortoise Recovery Plan (Draft). Western Australian Wildlife Research Centre, Department of Conservation & Land Management, WA. | | | | | recovery plan |
| Burbidge, A. & McKenzie, N.L. (1989). Patterns in the modern decline of Western Australia's vertebrate fauna: causes & conservation implications. <i>Biological Conservation</i> 50 (1-4): | | | management | | |
| Burbidge, A.(ed.) (1989b) Australian & New Zealand islands: nature conservation values & management. Occasional Paper 2/89, Department of Conservation & Land Management, Perth. | | | management | | |
| Burbidge, A., Blyth, J., Danks, A., Gillen, K.and Newbey, B. (1996). Western Ground Parrot Interim Recovery Plan 1996 to 1999. Threatened Species & Communities Unit, Department of Conservation & Land Management, Western Australia. | | | | | recovery plan |
| Burbidge, A.A., Johnson, K. A., Fuller, P. J., & Southgate, R. I. (1988). Aboriginal knowledge of the mammals of the central deserts of Australia. <i>Australian Wildlife Research</i> 15: 9-39. | | mammals | management | | |
| Bureau of Resource Sciences (1996). Rabbit calicivirus disease: a report under the Biological Control Act 1984. Bureau of | | rabbit | management | | |
| Burgin, S. (1984) The impact of fishing on non-target species. pp.141-148 In: Burgin, S. (ed.) 'Endangered Species : Social, Scientific, Economic & Legal Aspects in Australia & the South | | fish | management | | |
| Burnett, S. (1993). The Conservation Status of the Tiger Quoll, (<i>Dasyurus maculatus gracilis</i>) in North Queensland. James | biology | | management | | |
| Burnett, S. (2001). The mammals of the Mount Molloy Stock Route Reserves & Spear Creek Earthworks Report #99c23 prepared for Mitchell River Watershed Management Group. | | mammals | | | |

| | | | | | | | |
|---|--|-------|------------|---------|--|--|--|
| Burnett, S., (1997). Colonising cane toads cause population declines in native predators: reliable anecdotal information & management implications. <i>Pacific Conservation Biology</i> (3) 65- | | toads | management | ecology | | | |
| Cadwallader, P.L. (1979) Distribution of native & introduced fish in the Seven Creeks River. <i>Australian Journal of Ecology</i> , | | fish | | ecology | | | |

| | | | | | | |
|---|---------|----------------------|------------|---------|-------------------|---------------|
| Cadwallader, P.L. (1983) A review of fish stocking in larger reservoirs of Australia & New Zealand. FAO Fisheries Circular | | fish | | ecology | | |
| Cadwallader, P.L. & G.N. Backhouse, (1983). A guide to the freshwater fish of Victoria. Victorian Government Printing | biology | fish | | | | |
| Cadwallader, P.L., G.N. Backhouse & R. Fallu, 1980. Occurrence of exotic tropical fish in the cooling pondage of a power station in temperate south-eastern Australia. Aust. J. Mar. | biology | fish | | | | |
| Cadwallader, P.L., (1978). Some causes of the decline in range & abundance of native fish in the Murray-Darling River system. | | fish | | ecology | | |
| Cairns City Council (1999). Pest Management Plan. Cairns Australia | | mammals, fish | management | | | |
| Calaby, J. H. (1969) Australian mammals since 1770. Australian Natural History 16: 271-275. | | mammals | | | | |
| Caley, P., (1993). Population dynamics of feral pigs (<i>Sus scrofa</i>) in a tropical Riverine Habitat Complex. Wildlife | biology | pigs | | ecology | | |
| Caley, P., (1994). Factors affecting the success rate of traps for catching feral pigs in a tropical habitat. Wildlife Research (21) | | pigs | management | ecology | | |
| Caley, P., & Ottley B., (1995). the effectiveness of hunting dogs for removing feral pigs (<i>Sus scrofa</i>). Wildlife Research 22:147- | | dogs | management | | | |
| Cancellotti, F. M. & Renzi, M. (1991). Epidemiology & current situation of viral haemorrhagic disease of rabbits & the European brown hare syndrome in Italy. Revue Scientifique et Technique Office International des Epizooties 10: 409- | | rabbit | management | | | |
| Cape York Regional Advisory Group (1999). Animal & Weed Pests of Cape York Peninsula | | mammals, fish | management | ecology | | web site |
| Carter, D. B. (1994). Feral cats—a national approach: Towards a threat abatement plan. Australian Nature Conservation Agency, | | cat | management | | | |
| Carter, D.B. (ed.) (1995). Outfoxing foxes for nature conservation: preparing a national threat abatement plan. Australian Nature Conservation Agency, Canberra. | | fox | management | | | |
| Cassells, D.S., Bonell, M., Gilmour, D.A. & Valentine, P.S. (1986). Conservation & management of Society of Australia Symposium on The Ecology of Australia's Wet Tropics, | | wet tropics | management | ecology | | |
| Catling, P. C. (1988). Similarities & contrasts in the diets of foxes, <i>Vulpes vulpes</i> , & cats, <i>Felis catus</i> , relative to fluctuating prey populations & drought. Australian Wildlife | biology | fox,cat, | | ecology | | |
| Caughley, G. (1989). Plant-Herbivore Interactions. In The Future of New Zealand's Wild Animals. A.E. Newton (ed.) New Zealand Deer Stalkers Association. pp 51-52. | | deer | | ecology | | |
| Choquenot, D., (1988). Feral donkeys in northern Australia: population dynamics & cost of control. Unpublished Master of Applied Science, Canberra College of Advanced Education, | | donkeys | management | | | |
| Choquenot, D., McIlroy, J. & Korn, T. 1996. Managing Vertebrate Pests: Feral Pigs, Bureau of Resource Sciences, Aust. | | pigs | management | | | |
| Choquenot, D., O'Brien, P. & Hone, J. (1996). Commercial use of pests. Can it contribute to conservation objectives? Pp:251-258 in Grigg, G., Hale, P. & Lunney, D. (eds.) Conservation Through Sustainable Use of Wildlife. University of | | pigs | management | | | |
| Choquent, D., Kilgour, R.J., & Lukins, B.S.,(1993). An evaluation of feral pig trapping. Wildlife Research (20) 15-22 | | pigs | management | | | |
| Clancy, T.F. (1994). Recovery Plan for the Bridled Naitail Wallaby (<i>Onychogalea fraenata</i>) 1995-1997. Queensland Department of Environment & Heritage for Threatened Species & Communities Section, Biodiversity Group, Environment | | | | | | recovery plan |
| Claridge, A.W., McNee, A., Tanton, M.T. & Davey, S.M. (1991). Ecology of bandicoots in undisturbed forest adjacent to recently felled logging coupes: a case study from the Eden Woodchip Agreement Area. In: D. Lunney (ed.), Conservation of Australia's Forest Fauna. Royal Zoological Society of NSW, | | | management | ecology | species bandicoot | |
| Coblentz, B.E., (1977). Some range relationships of feral goats on Santa Catalina Island, California. J. Rang. Manage. 30(6): | | goats | | ecology | | |
| Cogger, H.G., (2000). Reptiles & amphibians of Australia Reed New Holland Publications (Australia), Sydney. | biology | reptiles, amphibians | | ecology | | |

| | | | | | | |
|---|---------|------------|------------|---------|---------|---------------|
| Coman, B. J. & McCutchan, J. (1994). Predator exclusion fencing for wildlife management in Australia. Unpublished report to the Australian Nature Conservation Agency, Canberra. | | | management | | | |
| Cooke, B. D. (1981) Rabbit control & the conservation of native mallee vegetation on roadsides in South Australia. | | rabbit | | ecology | | |
| Cooke, B. D. (1983) Changes in the age structure & size of populations of wild rabbits in South Australia, following the introduction of European rabbit fleas, <i>Spilopsyllus cuniculi</i> (Dale), as vectors of myxomatosis. Australian Wildlife Research | biology | rabbit | | | | |
| Cooke, B. D. (1993). Integrated control of rabbits. Pp 14-17 in B. D. Cooke ed, Australian Rabbit Control Conference, Adelaide, 1993. Anti-Rabbit Research Foundation of Australia. | | rabbit | management | | | |
| Cooke, B.D. (1996). Analysis of the Spread of Rabbit Calicivirus from Wardang Island through Mainland Australia. A report prepared for the Meat Research Corporation, October | | rabbit | management | | | |
| Copley, P. (1991). Feral & domestic cats in South Australia. In: C. Potter (ed.), The impact of cats on native wildlife. Australian National Parks & Wildlife Service, Canberra. | | cat | management | | | |
| Copley, P.B. (1994). The Greater Stick-nest Rat (<i>Leporillus conditor</i>) Recovery Plan Draft. Biological Conservation Branch, Department of Environment & Natural Resources, SA for Threatened Species & Communities Section, Biodiversity | | | management | | | recovery plan |
| Corbett, L. K. (1995). The dingo in Australia & Asia. University of New South Wales Press, Sydney. | biology | dingo | | | | |
| Corbett, L. K. (1995). Does dingo predation or buffalo competition regulate feral pig populations in the Australian wet-dry tropics? An experimental study. Wildlife Research 22:65-74 | | | | | | |
| Courtenay, J., Start, T. & Burbidge, A. (1998). Gilbert's Potoroo Recovery Plan 1998-2007. Western Australian Wildlife Research Centre, Department of Conservation & Land Management for Threatened Species & Communities Section, | | | | | | recovery plan |
| Covacevich, J. & McDonald, K.R. (1984). Frogs & reptiles of tropical & sub-tropical eastern Australian rainforests: distribution patterns & conservation. In Werren, G.L. & Kershaw, A.P. (eds.), Australian Rainforest Study, Vol.3. (Proceedings of a workshop on The Past, Present & Future of | | amphibians | management | ecology | | |
| Cowan, P., (2000). Vertebrate Pests: impacts & future management Manaaki whenua Landcare Research www.landcare.cri.nz/conferences/manaakiwhenua/papers/index.s | | mammals | management | | | |
| Crosbie, S. F., Laas, F. J., Godfrey, M. E. R., Williams, J. M., & Moore, D. S. (1986). A field assessment of the anticoagulant brodifacoum against rabbits, <i>Oryctolagus cuniculus</i> . Australian | | rabbit | management | | | |
| Crowley L.E.L.M. & W. Ivantsoff, (1991). Genetic similarity among populations of rainbowfishes (Pisces: Melanotaeniidae) from Atherton Tableland, Northern Queensland. Ichthyol. | | fish | | | species | |
| CSIRO (1998)Bufo Project: An Overview of Research Outcomes CSIRO Wildlife & Ecology, Canberra | | toads | management | | | |
| Daehler, C. C. & Strong, d. R., (1993). Prediction & biological invasions TREE 8(10) : 380 | | | management | ecology | | |
| Daly, K., & Goriup P., (1987). Eradication of feral goats from small islands. Report to International Council for Bird Preservation, Cambridge. Study Report No. 17. | | goats | management | | | |
| Daszak, P., Berger, L., Cunningham, A. A., Hyatt, A. D., Green, D. E., & Speare, R., (2000). Emerging infectious diseases & Amphibian population declines. Emerging Infectious Diseases 6 | | amphibians | | ecology | | |
| Davis, J. A., & Rolls, S. W. (1987). A baseline biological monitoring programme for the urban wetlands of the Swan Coastal Plain, Western Australia (Bulletin No. 265). Environmental Protection Authority & Water Authority of | | wetlands | management | ecology | | |
| Davis, J.A., Rosich, R.S., Bradley, J.S., Grown, J.E., Schmidt, L.G. & Cheal, F. (1993). Wetland classification on the basis of water quality & invertebrate community data. Environmental Protection Authority & Water Authority of Western Australia, | | wetlands | management | | | |

| | | | | | | |
|---|---------|-------------|------------|---------|------------------|---------------|
| Dennis, A.J. (1998). Draft Recovery Plan for the Tropical Bettong, <i>Bettongia tropica</i> . Queensland Department of Environment for Threatened Species & Communities Section, Department of Conservation & Land Management. (1994). Project Eden., State Government of Western Australia, Perth. | | | | | tropical bettong | recovery plan |
| Department of Natural Resources (1995). Pest Facts Dingo/Wild Dog Control Queensland Department of Natural Resources Information Sheets PA10 Queensland Government Printing | | dog | management | ecology | | |
| Department of Natural Resources (1996). Feral pig managements in the wet tropics DNR Pest Facts PA8 www.dnr.qld.gov.au Qld Government Printing Office, Brisbane | | pigs | management | | | |
| Department of Natural Resources (1997). The cane toad DNR Pest Facts PA21 www.dnr.qld.gov.au Qld Government Printing | | toads | | ecology | | |
| Department of Natural Resources (1998). Control of feral pigs DNR Pest Facts PA8 www.dnr.qld.gov.au Qld Government | | pigs | management | | | |
| Department of Natural Resources (1998). Pest Facts Pindone PA14 Queensland Government Printing Services, Brisbane | | poison | management | ecology | | |
| Department of Natural Resources (1999). Pest Facts Feral Goat Capra hircus PA18 Queensland Government Printing Services, | | goats | management | ecology | | |
| Department of Natural Resources (1999). Pest Facts:Sodium Fluoroacetate (1080) PA5 Queensland Government Printing | | poison | management | ecology | | |
| Di Casti, F., (1989). History of Biological Invasions with special emphasis on the Old World In: Drake J.A., Mooney, H. A., di Castri, F., Groves, R.H., Kruger, F. J., Rejmanek, M., & Williamson, M., (eds.) Biological Invasions: a global | | | | ecology | | |
| Dickman, C. R. (1996). Overview of the impact of Feral Cats on Australian Native Fauna. Report to Australian Nature | | cat | | ecology | | |
| Dobbie, W. R., Berman, D. McK., & Braysher, M. L. 1993. Managing Vertebrate Pests: Feral Horses, Department of primary Industries & Energy/Bureau of Resource Sciences, Aust. Govt. | | horses | management | | | |
| Dodd, G.J. & Hartwig, G.B. (1992). Goat eradication by hunting, an experience worth reporting. pp37-39 in L.W. Best (ed.), Feral Goat Seminar Proceedings. Department of | | goat | management | | | |
| Dowling, B., Seebeck, J.H., & Lowe, K.W. (1994). Cats & wildlife: results of a survey of wildlife admitted to shelters & animal welfare agencies in Victoria. Arthur Rylah Institute for | | cat | management | | | |
| Driessen, M.M. & Hocking, G.J. (1991). The Eastern Barred Bandicoot Recovery Plan for Tasmania: Research Phase. Department of Parks, Wildlife & Heritage, Tasmania | | | | | Barred bandicoot | recovery plan |
| Eason, C. T. (1993). The acute toxicity of cholecalciferol to the European rabbit, <i>Oryctolagus cuniculus</i> . Wildlife Research 20: | biology | rabbit | management | | | |
| Eason, C. T. & Jolly, S. E. (1993). Anticoagulant effects of pindone in the rabbit & Australian Brushtail possum. Wildlife | | rabbit | management | | | |
| Eason, C. T. & Spurr, E. B. (1995). Review of the toxicity & impacts of brodifacoum on non-target wildlife in New Zealand: New Zealand Journal of Zoology, 22, 371-379 | | mammals | management | | | |
| Edwards, G.P., Clancy, T.F., Lee, J., & McDonnell, J., (1994). Feral animal control in the rangelands. Final report to The Australia Nature Conservation Agency, Canberra. pp20. | | mammals | management | | | |
| Ehrlich, P. R., (1989). Attributes of invaders & the invading processes: vertebrates in Drake J.A., Mooney, H. A., di Castri, F., Groves, R.H., Kruger, F. J., Rejmanek, M., & Williamson, M., (eds.) Biological Invasions: a global perspective. SCOPE | | | management | ecology | | |
| Ehrlich, P.R., (1986). Which animal will invade in Mooney H.A., & Drake, J.A. (eds.) Ecology of biological invasions of North America & Hawaii. Springer-Verlag, New York pp 79-95 | | | management | ecology | | |
| Eldridge S. R., Berman, D. M., & Walsh, B. (2000). Field evaluation of four 1080 baits for dingo control Wildlife | | fox baiting | management | | | |

| | | | | | | |
|---|---------|-------------|------------|---------|--------|---------------|
| Environment Australia (1999). The Feral Horse Bureau of Resource Sciences, Canberra, Australia. | | horses | management | | | |
| Environment Australia (1999a) Threat Abatement Plan for competition & land degradation by feral goats. Commonwealth | biology | goats | management | ecology | | |
| Environment Australia (1999b) Threat Abatement Plan for competition & land degradation by feral rabbits. Commonwealth | | rabbits | management | ecology | | |
| Environment Australia (1999c) <i>Threat Abatement Plan for foxes</i> . Commonwealth Government of Australia, Canberra. | | fox | management | ecology | | |
| Environment Australia (1999d) <i>Threat Abatement Plan for Predation by Feral Cats</i> . Australian Government Report. Canberra | biology | cats | management | ecology | | web site |
| Environment Australia Web page | | | management | | | web site |
| European & Mediterranean Plant Protection Organization (2000). EPPO Pest Risk Assessment Scheme www.eppo.org/QUARANTINE/PRA/PRAssess_Scheme/prassess | | | management | | | |
| Fall M.W., Jackson W.B., (2000). Future technology for managing problems with vertebrate pests & over-abundant wildlife - an introduction. International Biodeterioration & Biodegradation, April 2000, vol. 45, no. 3, pp. 93-95(3) | | | management | | | |
| Faragher, R.A. & Harris, J.H., (1994). The historical & current status of freshwater fish in New South Wales. Australian | | fish | management | | | |
| Fenner, F. & Ratcliffe, J. (1965) Myxomatosis. Pp. 205-39 In: H.V. Thompson & C.M. King, eds, The Rabbit in Britain, France & Australasia: the Ecology of a Successful Coloniser. | | rabbit | management | | | |
| Fenner, F., Fantini, B., Woolhouse M., & Trends M. (2000). A plague o' all your warrens - Biological Control of Vertebrate Pests. The History of Myxomatosis: an Experiment in | | rabbits | management | | | |
| Fish Info Service (2000). World Wide Web electronic publication. www.seaworld.com | | fish | | ecology | | web site |
| Fleming, P. J. S., (1996). Ground placed baits for the control of wild dogs: Evaluation of a replacement baiting strategy in North-eastern New South Wales. Wildlife Research 23:729-40 | | dog baiting | management | | | |
| Fleming, P. J. S., Thompson, J. A., & Nicol, H. I., (1996). Indices for measuring the efficacy of aerial baiting for wild dog control in north-eastern New South Wales. Wildlife Research | | dog baiting | management | | | |
| Fletcher, A.R. (1980). Effects of introduced fish in Australia. In: Stevens, N.C. & Bailey, A. (eds.) Contemporary Cape York Peninsula. pp.231-238 Royal Society of Queensland St. Lucia. | biology | fish | | ecology | | |
| Flux, J. E. C. & Fullagar, P. J. (1992). World distribution of the rabbit, <i>Oryctolagus cuniculus</i> , on islands. Mammal Review | | rabbit | | ecology | | |
| Forsyth, D.M., & Parkes, J.P., (1995). Suitability of aerially sown artificial baits as a technique for poisoning feral goats. | | goats | management | | | |
| Fox, M. D., & Adamson D., (1979) The Ecology of Invasions in (eds.) Recher, H. F., Lunney, D., & Dunn, I., (1979) A Natural Legacy Peragamon Press New York. | | | management | ecology | | |
| Frawley, K.J. (1983). A history of forest & land management in Queensland with particular reference to the North Queensland rainforest. Report to Rainforest Conservation Society of | | wet tropics | management | | | |
| Frazer, T., (1992). Feral goat control, Danggali Conservation Park. pp34-36 In: L.W. Best (ed.), Feral Goat Seminar Proceedings. Department of Environment & Planning, Adelaide. | | goat | management | | | |
| Friend, J.A. (1994). Recovery Plan for the Numbat (<i>Myrmecobius fasciatus</i>). Department of Conservation & Land Management for Threatened Species & Communities Section, | | | | | Numbat | recovery plan |
| Froese, R. & D. Pauly. (Eds). (2001). FishBase. World Wide Web electronic publication. www.fishbase.org | | fish | | | | web site |
| Fullagar, P. J. (1977). Observations on myxomatosis in a rabbit population with immune adults. Australian Wildlife Research 4: | | rabbit | management | | | |
| Gadek, P. A. (1999). Patch Deaths in Tropical Queensland Rainforests: association & impacts of <i>Phytophthora cinnamomi</i> & other soil borne organisms. Cooperative Research Centre for Tropical Rainforest Ecology & Management., Cairns Australia | | wet tropics | | ecology | | |
| Gaffney, R.F. & Brown, P.B. (1992). The Swift Parrot Recovery Plan: Research Phase. Department of Parks, Wildlife & Heritage, | | | | | | recovery plan |
| Gaffney, R.F., & Atkinson, G.C., (1995). Feral Goat Threat Abatement Plan for Tasmania: Management Phase. Parks & Wildlife Service, Department of Environment & Land | | goat | management | | | |
| Gibson, D. F., Lundie-Jenkins, G., D., Langford, G., Cole, J. R., Clarke, D. E. & Johnson, K. E., (1994). Predation by feral cats, <i>Felis catus</i> on the rufous hare-wallaby, <i>Lagorchestes hirsutus</i> in the Tanami desert. Australian Mammalogy 17:103- | | cat | | ecology | | |
| Gilbert, N., Ayers, K., Cooke, B. D., Dunsmore, J. D., Fullagar, P. J., Gibe, J. A., King, D. R., Parr, I., Wheeler, S. H., & Wood, D. H. (1987). Comparative dynamics of Australasian rabbit populations. Australian Wildlife Research 14: 491-503. | | rabbit | | ecology | | |
| Goodsell, J.A. & Kats, L.B., (1999). Effect of introduced Mosquitofish on Pacific Treefrogs & the role of alternative prey. | | gambusia | | ecology | | |
| Goosem M. (2000). Effects of tropical rainforest roads on small mammals: edge changes in community composition. Wildlife | | mammals | management | | | |
| Goosem, S., Morgan, G., & Kemp, J.E. (1999). Chapter 7: Wet Tropics In: Sattler, P.S. & Williams, R. D. (eds.) The Conservation Status of Queensland's Bioregional Ecosystems. | | wet tropics | | ecology | | |
| Greenway, C. Jr., (1967) Extinct & Vanishing birds of the world. Dover, New York | | birds | | ecology | | |
| Greg, D. A., House C., Meyer, R., & Berringer, M. (1991). Viral haemorrhagic disease of rabbits in Mexico: epidemiology & viral characterisation. Revue Scientifique et Technique O.I.E. | | rabbit | management | | | |
| Gregory, G.C. (1991). Perception of pain with 1080 poisoning. Proceedings of the Australian Vertebrate Pest Control | | 1080 | management | | | |
| Groves, R. H. & Burdon, J. J., (eds.) (1986) Ecology of Biological Invasions Cambridge University Press, Cambridge. | | | management | ecology | | |

| | | | | | | |
|--|---------|---------------|------------|----------------------------|---------------|---------------|
| Hall, D.N. (1991). Management Plan for Freshwater Fishes in Major Gippsland Rivers : Water Resource Requirements. Arthur Rylah Institute for Environmental Research, Technical Report No. 107. Department of Conservation & Environment : | | fish | management | | | |
| Hall, G.P. & Kinnear (1991). Recovery Plan for the Black-flanked Rock-Wallaby, <i>Petrogale lateralis lateralis</i> (Gould). Department of Conservation & Land Management for Threatened Species & Communities Section, Biodiversity Group, | | | | | recovery plan | |
| Hall, G.P. & Kinnear (1991). Recovery Plan for the Black-flanked Rock-Wallaby, <i>Petrogale lateralis lateralis</i> (Gould). Department of Conservation & Land Management for Threatened Species & Communities Section, Biodiversity Group, | | | | black flanked rock wallaby | recovery plan | |
| Hall, L. S. & Myers, K. (1978) Variations in the microclimate in rabbit warrens in semi-arid New South Wales. Australian Journal | | rabbit | management | | | |
| Hammond, C. (1981) Long-term management of feral cat colonies. In: The ecology & control of feral cats: proceedings of a symposium held at Royal Holloway College, London. University Federation for Animal Welfare, Hertfordshire, United | | cat | management | ecology | | |
| Harrington, G.N., (1982). The feral goat. pp3-73 In: P.J. Holst, Goats for Meat & Fibre in Australia. Standing Committee on Agriculture Technical Report Series No. 11, CSIRO, Canberra. | | goat | management | | | |
| Harris, J.H., (1984). Impoundments of coastal drainages of south-eastern Australia, & a review of its relevance to fish migrations. Aust Zool. 21(3). 134-250. | | fish | management | | | |
| Harris, J.H. (1987a) Rare & endangered : classifying Australia's threatened fishes. Australian Natural History, 22: 208-209. | | fish | management | | | |
| Harris, J.H., (ed.), (1987b). Proceedings of the conference on Australian threatened fishes. Australian Society for Fish Biology, Melbourne, 15- 16 August 1985. Sydney: Division | biology | fish | management | | | |
| Harris, J.H. & S.C. Battaglene, (1989). The introduction & translocation of native freshwater fishes in south-eastern Australia. In Pollard, D.A. (ed.). Introduced & translocated fishes & their ecological effects. Proceedings of the Australian Society for Fish Biology Workshop No. 8. Bureau of Rural | | fish | | ecology | | |
| Hayward, J. S. & Lisson, P. A. (1978) Carbon dioxide tolerance of rabbits & its relation to burrow fumigation. Australian | | rabbit | management | | | |
| Henzell, R. (1991). Rabbits, feral goats, mulga & rangelands stability. Proceedings of the Australian Vertebrate Pest | | rabbits,goats | management | | | |
| Henzell, R.P., (1984). Methods of controlling feral goats. Department of Agriculture South Australia. Fact Sheet No. | | goat | management | | | |
| Henzell, R., (1992a). The ecology of feral goats. In: D. Freudenberger (ed.), Proceedings of the National Workshop on Feral Goat Management. pp 13-20 Bureau of Resource Sciences, | | goat | | ecology | | |
| Henzell, R.P., (1992b) Summary of goat biology & environmental impacts - implications for eradication. In: L.W. Best (ed.), Feral Goat Seminar Proceedings. Department of | biology | goat | management | | | |
| Herbert, B. & Peeters, J., (1995). Freshwater fishes of far north Queensland. Department of Primary Industries. Queensland | biology | fish | | | | |
| Hiebert, R.D. & Stubbendieck, J. (1993). Handbook for ranking Exotic Plants for Management & Control. Natural Resources Report NPS/NRMWRO/NRR-93/08 US Department | | | management | | | |
| Hill, F.A.R. (1991). A Research Recovery Plan for the Brush-tailed Rock-wallaby, <i>Petrogale penicillata penicillata</i> (Gray 1825), in south-eastern Australia. Department of Conservation & Environment, Victoria for Threatened Species & Communities Section, Biodiversity Group, Environment Australia, Canberra. | | | | | recovery plan | |
| Hill, F.A.R. (1991). A Research Recovery Plan for the Brush-tailed Rock-wallaby, <i>Petrogale penicillata penicillata</i> (Gray 1825), in south-eastern Australia. Department of Conservation & Environment, Victoria for Threatened Species & Communities Section, Biodiversity Group, Environment Australia, Canberra. | | | | brushtailed rock wallaby | recovery plan | |
| Hobbs, R. J., (1989). The nature & effects of disturbance relative to invasions in Drake J.A., Mooney, H. A., di Castri, F., Groves, R.H., Kruger, F. J., Rejmanek, M., & Williamson, M., (eds.) Biological Invasions: a global perspective. SCOPE | | | management | ecology | | |
| Holland, M. K. & Jackson, R. J. (1994). Virus-vectored immunocontraception for control of wild rabbits: identification of target antigens & construction of recombinant viruses. | | rabbit | management | | | |
| Hollis, G.J. (1997). Recovery Plan for the Baw Baw Frog (<i>Philoria frosti</i>) 1997-2001. Department of Natural Resources & Environment for Threatened Species & Communities Section, Biodiversity Group, Environment Australia, Canberra. | | | | | bawbaw frog | recovery plan |
| Hone, J. (1990a). How many feral pigs in Australia? Australian Wildlife Research 17:571-572. | | pigs | management | | | |
| Hone, J. (1990b). Predator-prey theory & feral pig control, with emphasis on evaluation of shooting from a helicopter. Australian Wildlife Research 17:123-130. | | pigs | management | ecology | | |
| Hone, J. (1991a). An assessment of the biological consequences of porcine transmissible gastroenteritis establishing in pig herds in Australia. Working Paper | | pigs | management | | | |
| Hone, J. (1991b). Analysis of animal survey data. In: Nature Conservation: Cost Effective Biological Surveys & Data Analysis. Margules, C. & Austin, M.P. pp:42-46 | | | management | | | |
| Hone, J. (1992a). Modelling of poisoning for vertebrate pest control, with emphasis on poisoning feral pigs. Ecological | | pigs | management | | | |
| Hone, J. (1992b). Rate of increase & fertility control. Journal of Applied Ecology 29:695-698. | biology | | management | | | |
| Hone, J. (1994). Analysis of Vertebrate Pest Control. Cambridge University Press: London. | | | management | | | |
| Hone, J. (1995). Spatial & temporal aspects of vertebrate pest damage with emphasis on feral pigs. Journal of Applied | | pigs | management | | | |

| | | | | | | | |
|--|--|------|------------|--|--|--|--|
| Hone, J. , Pech, R. & Yip, P. (1992). Estimation of dynamics & rate of transmission of classical swine fever (hog colera) in wild pigs. <i>Epidemiology & Infection</i> 108:377-386. | | pigs | management | | | | |
| Hone, J. & Pech, R. (1990). Disease surveillance in wildlife with emphasis on detecting foot & mouth disease in feral pigs. <i>Journal of Environmental Management</i> 31:173-184. | | pigs | management | | | | |

| | | | | | | |
|--|---------|-------------------|-------------------------|---------|-----------------------------|---------------|
| Hone, J. & Stone, C. (1989). A comparison & evaluation of feral pig management in two national parks. Wildlife Society | | pigs | management | | | |
| Hone, J., (1990c) Note on seasonal changes in population density of feral pigs in three tropical habitats. Australian | biology | pigs | | ecology | | |
| Hone, J., Williams, D., Osborne, W., Georges, A., & Stoutjesdijk, R. (1992). Wildlife Survey Techniques for Ecological Assessment. Report to ACT Planning Authority, | | | management | | | |
| Horsup, A. (1998). Recovery Plan for the Northern Hairy-nosed Wombat (<i>Lasiorhinus krefftii</i>). Queensland Department of Environment for Threatened Species & Communities Section, Biodiversity Group, Environment Australia, Canberra. | | | | | northern hairy nosed wombat | recovery plan |
| Hurlbert, S. H., & Mulla, M. S. (1981). Impacts of mosquitofish (<i>Gambusia affinis</i>) predation on plankton communities. | | gambusia | | ecology | | |
| Hurlbert, S. H., Zedler, J., & Fairbanks, D. (1972). Ecosystem alteration by mosquitofish (<i>Gambusia affinis</i>) predation. | | gambusia | | ecology | | |
| Ingram, B.A., C.G. Barlow, J.J. Burchmore, G.J. Gooley, S.J. Rowland & C.A. Sanger, (1990). Threatened native freshwater fishes in Australia - some case histories. J. Fish. Biol. 37 | biology | fish | | | | |
| Lund, M. (1995). Interactions between riparian vegetation, macroinvertebrates & fish (<i>Gambusia holbrooki</i> (Girard)) in Lake Monger (Western Australia). 33rd Congress of the Australian Society for Limnology, held at Rottnest Island (Perth, WA). | biology | gambusia | | ecology | | |
| Invasive Species Specialist Group (2000). 100 of the world's worst invasive species www.issg.org/database/species/search | | | | | | web site |
| Ivantsoff, W., L.E.L.M. Crowley & G.R. Allen, (1987). Descriptions of three new species & one subspecies of freshwater hardyhead (Pisces: Atherinidae: Craterocephalus) from | | fish | management | | | |
| Jackson, P.D. (1993). The conservation status of Australian freshwater fishes : the fish action plan. Queensland Department of Primary Industries, Fisheries Division, . Australian Biologist, | | fish | | ecology | | |
| Jackson, P.D. & W.D. Williams, 1980. Effects of brown trout, <i>Salmo trutta</i> L. on the distribution of some native fishes in three areas of southern Victoria. Aust. J. Mar. Freshw. Res. 31. 61- | | fish | | ecology | | |
| Jackson, P.D., 1981. Trout introduced into south eastern Australia: their interaction with native fishes. Vic. Nat. 98. 18- | | fish | | ecology | | |
| Jackson, P.D., 1992. Australian Threatened Fishes - 1992 Supplement. Australian Society for Fish Biology Newsletter, | | fish | | ecology | | |
| Johnson, K. (1991). Feral cats: the Northern Territory perspective. In: Potter (ed.). The impact of cats on native wildlife. Australian National Parks & Wildlife Service, Canberra. | | cat | | ecology | | |
| Jones, E. (1989). Felidae. In: D.W. Walton & B.J. Richardson (eds.) Fauna of Australia, Volume 1B Mammalia. Australian Government Publishing Service, Canberra, pp. 1006-1011 | biology | cat | | ecology | | |
| Jones, E. (2000). Road upgrade road mortality & remedial measures: impacts on a population of eastern quolls & Tasmanian devils. Wildlife Research 287 (3):289-296 | | | management implications | | | |
| Jurek, R. M., (2000). A Bibliography of feral , stray & free-roaming domestic cats in relation to wildlife conservation. Compiled by Wildlife Biologist Nongame Bird & Mammal Program, Wildlife Management Division California Division of | general | cat | management | | | web site |
| Kay, B. J., Gifford, E. J., Perry, R., & van de Ven, R., (2000). Trapping efficiency for foxes (<i>Vulpes vulpes</i>) in central New South Wales: age & sex biases & the effects of reduced fox | | fox | management | | | |
| Kikkawa, J. (1982). Ecological association of birds & vegetation structure in wet tropical forests of Australia. | | birds, rainforest | | ecology | | |
| Kikkawa, J. (1984). The avifauna of Australian rainforests. In: Werren, G.L. & Kershaw, A.P. (eds.), Australian Rainforest Study, Vol.3. Proceedings of a workshop on The Past, Present & Future of Australian Rainforests, Griffith University, | | birds | | ecology | | |
| Kinnear, J.E., Onus, M.L. & Bromilow, R.N. (1984) Foxes, Cats & Rock Wallabies. Swans 14:3-8 | | | | | | |
| Kinnear, J.E., Onus, M.L. & Bromilow, R.N. (1988). Fox control & rock wallaby population dynamics. Australian | | fox | | ecology | | |
| Kittl, B., (1999). Mosquito fish imperil frogs. Discover (20)8 | | gambusia | | ecology | | |
| Knapp, R. A. & Matthews, K. R., (2000). Non-native fish introductions & the decline of the Mountain Yellow-legged Frog from within protected areas. Conservation Biology | | gambusia | | ecology | | |
| Koehn, J.D. & O'Connor, W. G., (1990). Biological Information for Management of native freshwater fish in Victoria. Dept. of Conservation & Environment, Freshwater Fish Management Branch, Arthur Rylah Institute for Environmental | | fish | | ecology | | |
| Koehn, J. (1994). Conserving freshwater fish : the way forward. Australasian Wildlife Management Society Newsletter, 7(2) : 6. | | fish | | ecology | | |
| Koehn, J.D. & McKenzie, J.A. (1985). Comparison of Electrofisher Efficiencies. (Department of Conservation, Forests & | | fish | management | | | |
| Koehn, J.D. & Morison, A.K. (1990). A review of the conservation status of native freshwater fish in Victoria. | | fish | | ecology | | |
| Koehn, J.D. & O'Connor, W.G. (1990b) Threats to Victorian Native Freshwater Fish. Victorian Naturalist, 107(1) : 5-12. | | fish | | ecology | | |
| Koehn, J.D., (1987). Artificial habitat increases abundance of two-spined blackfish (<i>Gadopsis bispinosus</i>) in Ovens River, Victoria. Arthur Rylah Institute for Environmental Research | | fish | | ecology | | |
| Komak, S., & Crossland, M.R., (2000). An assessment of the introduced mosquitofish (<i>Gambusia affinis holbrooki</i>) as a predator of eggs, hatchlings & tadpoles of native & non-native | | gambusia | | ecology | | |
| Korn, T. & Hosie, R. (1988). Effective rabbit control. Agfact A9.0.11, Department of Agriculture New South Wales. | | rabbit | management | | | |
| Kovaliski, J. (1998). Monitoring the spread of rabbit haemorrhagic disease as a new biological agent for control of wild European rabbits. Journal of Wildlife Diseases 34(3). | | rabbit | management | | | |
| Lake, J.S., (1971). Freshwater Fishes & Rivers of Australia. Nelson, Melbourne, 62pp. | biology | fish | | | | |

| | | | | | | |
|--|-------------|----------|------------|---------|-------------------|---------------|
| Landsberg, J., James, C.D., Morton, S.R., Hobbs, T.J. Stol, J., Drew, A. & Tongway, H. (1997). The effects of artificial sources of water on rangeland biodiversity. Final report to the Biodiversity Convention & Strategy Section of the Biodiversity Group, Environment Australia by CSIRO Division of Wildlife | | | | ecology | | |
| Lane, B.A., Bezuijen, M.R., Greenwood, D., Carr, G.W. & Ward, R. (1998). Norfolk Island Green Parrot Recovery Plan (<i>Cyanoramphus novaezelandiae cooki</i>). Threatened Species & Communities Section, Biodiversity Group, Environment | | | | | | |
| Langdon, J.S., (1988). Prevention & control of fish diseases in the Murray-Darling Basin. In: Proceedings of the Workshop on Native Fish Management, pp 163-173. Murray-Darling Basin | fish | | management | | | |
| Langdon, J.S., (1989a). Experimental transmission & pathogenicity of epizootic haematopoietic necrosis virus (EHNV) in redfin perch, <i>Perca fluviatilis</i> L., & 11 other | fish | | management | | | |
| Langdon, J.S., (1989b). Disease risks of fish introductions & translocations. In: Pollard, D.A. (ed.). Introduced & translocated fishes & their ecological effects. Proceedings of the Australian Society for Fish Biology Workshop No. 8. Bureau of Rural | fish | | management | | | |
| Lange, R. T. & Graham, C. R. (1983) Rabbits & the failure of regeneration in Australian arid zone Acacia. Australian Journal | rabbit | | management | | | |
| Laurance, W.F. & Harrington, G.N. (1997). Ecological Associations of Feeding sites of feral pigs in Queensland Wet | pigs | | | ecology | | |
| Lawrence, B.W. (1991). Fish Management Plan. Murray-Darling Basin Commission, Canberra. | fish | | management | | | |
| Leighton, F. A., Artois, M., Capucci, L., Gavier-Widen, D., & J.-P. Morisse. (1995). Antibody response to rabbit viral hemorrhagic disease virus in red foxes (<i>Vulpes vulpes</i>) consuming livers of infected rabbits (<i>Oryctolagus cuniculus</i>). | rabbit, fox | | management | | | |
| Lenghaus, C. (1993). Rabbit Haemorrhagic Disease: Assessing the Potential of a New Virus to Control Wild Rabbits in Australia. In: B.D. Cooke ed Australian Rabbit Control Conference. 2-3 April 1993. pp 18-22 Anti-rabbit Research | rabbit | | management | | | |
| Lever, C., (1985). Naturalised Mammals of the world Longman Group Ltd, Harlow Essex, England | mammals | | | ecology | | |
| Levin, S. A., (1989). Analysis of risk for invasions & control programs In: Drake J.A., Mooney, H. A., di Castri, F., Groves, R.H., Kruger, F. J., Rejmanek, M., & Williamson, M., (eds.) Biological Invasions: a global perspective. SCOPE 37 John | | | management | ecology | | |
| Lim, L. (1992). Recovery Plan for the Kowari, <i>Dasyuroides byrnei</i> Spencer, 1896 (Marsupialia, Dasyuridae). South Australian & Queensland National Parks & Wildlife Service for Threatened Species & Communities Section, Biodiversity | | | management | | kowari | recovery plan |
| Littly, T. & Cutten, J. (1994). Draft Recovery Plan for the Mt Lofty Rangers Southern Emu-wren (<i>Stipiturus malachurus intermedius</i>). Conservation Council of South Australia Inc. for Threatened Species & Communities Section, Biodiversity | | | | | southern emu wren | recovery plan |
| Lloyd, L. N., & Tomasov, J. F. (1985). Taxonomic status of the Mosquitofish, <i>Gambusia affinis</i> (Poeciliidae), In: Australia. Australian Journal of Marine & Freshwater Research, 36, 447- | biology | gambusia | | ecology | | |
| Lloyd, L. N., Arthington, A. H., & Milton, D. A. (1986). The mosquitofish- a valuable mosquito-control agent or a pest? In: The ecology of exotic plants & animals in Australia (Ed. R.J. | | gambusia | management | ecology | | |
| Lodge, D.M (1993). Biological Invasions: lessons for ecology. TREE 8(4):133-137 | | | | ecology | | |
| Long, J. L., (1981) <i>Introduced birds of the world</i> A. H. & A. W. Reed Publishing Sydney. | biology | birds | management | | | |
| Lund, M., (1994a). Interactions between riparian vegetation, macroinvertebrates & fish (<i>Gambusia holbrooki</i>) in Lake Monger, Western Australia. Proceedings form 33rd Congress of | | gambusia | management | ecology | | |
| Lund, M., (1994b). Mosquito fish: Friend or Foe Poster presentation at Seminar on 'Impact & control of feral animals in South-Western Australia' Conservation Council of Western | | gambusia | management | | | |
| Lundie-Jenkins, G. & Moore, G. (1996). Recovery Plan for the Mala (<i>Lagorcheses hirsutus</i>). Conservation Commission of the Northern Territory for Threatened Species & Communities Section, Biodiversity Group, Environment Australia, Canberra | | mammal | | | | recovery plan |
| Maas, S. & Choquenot D. (1995). Feral goats in outcrop areas of the semi-arid rangelands: aerial survey techniques & the cost of helicopter shooting. Final report to The Wildlife & Exotic Diseases Preparedness Program, Bureau of Resource Sciences, | | goat | management | | | |
| MacDonald, I. A. W., Loope, L. L., Usher, M. B., & Hamann, O., (1989). Wildlife conservation & the invasion of nature reserves by introduced species in Drake J.A., Mooney, H. A., di Castri, F., Groves, R.H., Kruger, F. J., Rejmanek, M., & Williamson, M., (eds.) Biological Invasions: a global | | | management | ecology | | |
| Mace G.M. & R. Lande, (1991). Assessing extinction threats: towards a re-evaluation of IUCN threatened species categories. | | fish | management | | | |
| Mack, R.N., Simberloff, D., Lonsdale, W.M., Evan, H., Clout, M., & Bazzaz, F. (2000). Biotic Invasions: Cause, Epidemiology, Global Consequences & Control Issues in | | | | ecology | | |
| Mahon, P., Banks, P.B. & C.R. Dickman. (1998). Population indices for wild carnivores: a critical study in sand-dune habitat, southwestern Queensland. Wildlife Research, 1998 25. | | | management | | | |
| Mahood, I.T. (1985). Some aspects of ecology & the control of feral goats (<i>Capra hircus</i> L.) in western New South Wales. Unpublished M.Sc. Thesis, Macquarie University, Sydney. | | goats | management | ecology | | |
| Marcato, P. S., Benazzi, C., Vecchi, G., Galeotti, M., Della Salda, L., Sarli, G., & Lucidi, P. (1991). Clinical & pathological features of viral haemorrhagic disease of rabbits & the European brown hare syndrome. Revue Scientifique et Technique O.I.E. | | rabbit | management | | | |

| | | | | | | | |
|---|--|-----|------------|--|--|--|--|
| Marks, C.A. & Gigliotti, F. (1996). Cyanide baiting manual: Practices & Guidelines for the destruction of red foxes (<i>Vulpes vulpes</i>). Report Series Number 1. Vertebrate Pest Research Unit, Victorian Institute of Animal Science, Department of | | fox | management | | | | |
| Marks, C.A., Nijk, M., Gigliotti, F., Busana, F., & Short, R.V. (1995). Preliminary assessment of a cabergoline baiting campaign for the reproductive control of the red fox (<i>Vulpes</i> | | fox | management | | | | |

| | | | | | | |
|---|---------|-----------------|------------|---------|--|--|
| Marks, C.A., Busana, F., Gigliottie, F., & Hackman, C., (2000). assuring that 1080 toxicosis in the red fox (<i>Vulpes vulpes</i>) is humane: fluoroacetic acid (1080) & drug combinations. Wildlife | | fox | management | | | |
| Martin, G. R., Kirkpatrick, W. E., King, D. R., Robertson, I. D., Hood, P. J., & Sutherland, J. R. (1994). Assessment of the potential toxicity of an anticoagulant, pindone (2-pivalyl-1, 3-indandione), to some Australian birds. Wildlife Research 21: 85- | | birds | management | | | |
| Martin, G. R., Sutherland, J. R., Robertson, I. D., Kirkpatrick, W. E., King, D. R., & Hood, P. J. (1991). Assessment of the potential toxicity of a poison for rabbits, pindone (2-pivalyl-1, 3-indandione), to domestic animals. Australian Veterinary | | rabbit | management | | | |
| May, S.A. & Norton, T.W. (1996). Influence of fragmentation & disturbance on the potential impact of feral predators on native fauna in Australian forest ecosystems. Wildlife Research 23: | | | management | ecology | | |
| McDowall, R.M. (1980). A Guide to the Freshwater Fish of South Eastern Australia. (Reed : Sydney). | biology | fish | | | | |
| McDowall, R.M. & R.S. Frankenburg, (1981). The Galaxiid fishes of Australia. Rec. Aust. Mus. 33(10). 443-605. | biology | fish | | | | |
| McEnnulty, F.R., Bax, N.J. Schaffelke, B., & Campbell, M. C., (2000). Rapid response toolbox: Strategies for the control of AABWMAC listed species & related taxa in Australia CSIRO Marine Research, Centre for Research on Introduced Marine | | | management | | | |
| McGlynn, T.P., (1999). The worldwide transfer of ants: geographical distribution & ecological invasions. Journal of | | | management | ecology | | |
| McIlroy, J. C. (1983) The sensitivity of Australian animals to 1080 poison V. The sensitivity of feral pigs, <i>Sus scrofa</i> , to 1080 & its implications for poisoning campaigns. Australian | biology | pigs,1080 | management | ecology | | |
| McIlroy, J. C. & Gifford, E. J. (1991). Effects of non-target animal populations of a rabbit trail-baiting campaign with 1080 | | rabbit, 1080 | management | ecology | | |
| McIlroy, J. C. & Gifford, E. J. (1992). Secondary poisoning hazards associated with 1080-treated carrot-baiting campaigns against rabbits, <i>Oryctolagus cuniculus</i> . Wildlife Research 19: | | 1080 | management | ecology | | |
| McIlroy, J.C., & Saillard, R.J., (1989). The effect of hunting with dogs on the numbers & movements of feral pigs, <i>Sus scrofa</i> , & subsequent success of poisoning exercises in Namadgi National Park, A.C.T. Australian Wildlife Research, | | pigs | management | | | |
| McKay, R.J., (1989). Exotic & translocated freshwater fishes in Australia. pp 21-34 in De Silva, S.S. (ed.) Exotic aquatic organisms in Asia: Proceedings of the workshop on introduction of exotic aquatic organisms in Asia. Asian Fish. | | fish | management | | | |
| McKillop, I. G. & Wilson, C. J. (1987). Effectiveness of fences to exclude European rabbits from crops. Wildlife Society | | | management | | | |
| McKnight, T.L. (1976) Friendly Vermin: A Survey of Feral Livestock in Australia. University of California Press, Berkeley. | | mammals | management | | | |
| Mead, R. J., Feldwick, M. G., & Bunn, J. T. (1991). 1,3-Difluoro-2-propanol: a potential replacement for 1080 in fauna management programs in Australia. Wildlife Research 18: 27- | | poison | management | | | |
| Meek, P.A., & Saunders G., (2000). Home range & movement of foxes (<i>Vulpes vulpes</i>) in coastal New South Wales, Australia | | fox | | ecology | | |
| Meek, P.D., Jenkins, D.J., Morris, B., Ardler, A.J. & Hawkesby, R.J. (1995). Use of two humane leg-hold traps for catching pest species. Wildlife Research 22: 733-739 | | mammal trapping | management | | | |
| Merrick, J.R. & Schmida, G.E. (1984). Australian Freshwater Fishes : Biology & Management. J.R. Merrick : North Ryde, | biology | fish | management | | | |
| Michaelis, F.B. (1989). Australian government position : introduction of exotic aquatic species. In: De Silva, S.S. (ed.) Proceedings : Exotic Aquatic Organisms in Asia, pp.125-132 | | fish | management | | | |
| Michaelis, F.B. Conservation of Australian aquatic fauna. pp.599-613 In: De Deckker, P. & Williams, W.D. (eds.) 'Limnology in Australia'. (CSIRO : Melbourne). (1986). | | fish | | ecology | | |
| Miller, E., Riethmuller, J., Kelly, D. & Boyd-Lay, S. (1998). Economics of feral goat control in south-west Queensland. Proceedings of the 11th Australian Vertebrate Pest Conference, | | goats | management | | | |

| | | | | | | |
|---|---------|-----------|------------|---------|-----------|---------------|
| Miller, R.R. (ed.) (1977). I.U.C.N. Red Data Book. Vol. 4. Pisces. Freshwater Fishes Revised. IUCN : Gland. | | fish | | ecology | | |
| Millsap, B.A., J.A. Gore, D.A. Runde & S.I. Cerulean, (1990). Setting priorities for the conservation of fish & wildlife species in Florida. Wildlife Monographs 111. 1-57. | | fish | management | ecology | | |
| Milne, C. (1993). Sex & the single fish :stocking programs at Snobs Creek Hatchery, Victoria, to promote survival of threatened species & increase the volume & diversity of fish production for recreational purposes. Wildlife Australia, 30(3) : | | fish | | ecology | | |
| Molsher, R (1996). Feral Pests Program Project 69, Compensation increases in predation & feral cat numbers following experimental removal of foxes. Unpublished report to the Australian feral cat numbers following experimental removal of foxes. Unpublished report to the Australian Nature | | cat/fox | management | | | |
| Molsher, R. (1996). Interactions between feral cats (<i>Felius catus</i>) & red foxes (<i>Vulpes vulpes</i>) in open forest in NSW. Proc. of 9th Meeting of Australian Wildlife Management | | cats,foxs | | ecology | | |
| Molsher, R., Gifford, E. J., & McLroy J. C., (2000). Temporal, spatial & individual variation in the diet of red foxes (<i>Vulpes vulpes</i>) in central New South Wales. Wildlife Research | biology | foxs | | | | |
| Moodie, E. (1995). The potential for biological control of feral cats in Australia. Unpublished report to Australian Nature | biology | cat | management | | | |
| Mooney, H. A., & Drake, J. A., (1989). Biological invasions: a SCOPE Program overview In: Drake J.A., Mooney, H. A., di Castri, F., Groves, R.H., Kruger, F. J., Rejmanek, M., & Williamson, M., (eds.) Biological Invasions: a global | | | management | ecology | | |
| Morison, A. & D. Hume, (1989). Carp (<i>Cyprinus carpio</i> L.) in Australia. In Pollard, D.A. (ed.) Introduced & translocated fishes & their ecological effects. Proceedings of the Australian Society for Fish Biology Workshop No. 8. Bureau of Rural | | fish | | ecology | | |
| Morris K. (1996). Economic impact of RCD. Unpublished report for the Bureau of Resource Sciences from Agricultural Economics Branch. Australian Bureau of Agricultural & | | rabbit | management | | | |
| Morris, K., Speldewinde, P. & Orell, P. (1997). Djoongari (Shark Bay Mouse) Recovery Plan. Western Australian Wildlife Research Centre, Department of Conservation & Land Management for Threatened Species & Communities Section, | | | | | Djoongari | recovery plan |
| Morris, K.D., (1985). Feral animal control on WA islands. In: A. Burbidge (ed.) Australia & New Zealand: Nature Conservation Values & Management, pp 105-111, Auckland | | mammals | management | | | |
| Munyenymbe, F.E., Harris, J.A., Nix, H. & Hone, J. (1989). Determinants of bird distribution & abundance in suburban Canberra, Australia. Australian Journal of Ecology 14:549-557. | | birds | | ecology | | |
| Mutze, G., Cooke, B. & Alexander, P. (1998). The initial impact of rabbit haemorrhagic disease on European rabbit populations in South Australia. Journal of Wildlife Diseases 33:221-227. | | rabbit | management | | | |
| Myers, K. & Bults, H. G. (1977). Observations on changes in the quality of food eaten by the wild rabbit. Australian Journal | | rabbit | | ecology | | |
| Naismith, T. (1992). Feral goat control in national parks in the Flinders & Gammon Ranges. In: Best L.W. (ed.) Feral Goat Seminar: Proceedings: pp32-33. Department of Environment & | | goats | management | | | |
| NCCA (1992). Vertebrate Pest Control & Animal Welfare. A report of the National Consultative Committee on Animal | | mammals | management | | | |
| New Zealand Department of Conservation (1995). National Feral Goat Control Plan 1994-2003 Department of Conservation, | | goat | management | | | |
| Newsome, A. E. (1991). Feral cats: an overview. In C. Potter (ed.), The impact of cats on native wildlife. Australian National | | cat | | ecology | | |
| Newsome, A. E., (2000). Invasion impacts of pests on land, water & vegetation www.nlwra.gov.au | | | management | ecology | | web site |
| Newsome, A. E., Catling, P. C., & Corbett, L. K. (1983) The feeding ecology of the dingo II. Dietary & numerical relationships with fluctuating prey populations in south-eastern | | dingo | management | ecology | | |

| | | | | | | |
|---|---------|-------------|------------|---------|--|---------------|
| Newsome, A. E., Parer, I. & Catling, P. C. (1989). Prolonged prey suppression by carnivores - predator-removal experiments. | | mammals | management | ecology | | |
| Newsome, A.E. (1990). The control of vertebrate pests by vertebrate predators. Trends in Ecology & Evolution, 5, | | | management | | | |
| Newsome, A.E., Pech, R., Smyth, R., Banks, P., Dickman, C. (1996). Potential impacts on Australian native fauna of rabbit calicivirus disease. Report to the Australian Nature | | rabbit | management | ecology | | |
| Nijk, M., Fisher, P., Johnston, M., Moore, S., & Marks, C., (1999). A species specific toxin for feral cat control Proc. Of 9th Meeting of Australian Wildlife Management Society Canberra. | | cats | management | | | |
| Norbury, G. (1993). The use of 1080 to control feral goats in Western Australia. Appendix 3 in The proposed use of 1080 to control feral goats in Western Australia. Public Environmental Review EPA Assessment No. 752. Agricultural Protection | | goat | management | | | |
| Norman, F. I. (1988). Long-term effects of rabbit reduction on Rabbit Island Wilson's Promontory Victoria. Victorian | | rabbits | | ecology | | |
| North Queensland Joint Board (1997) <i>Barron River Catchment Rehabilitation Plan</i> North Queensland Joint Board | | wet tropics | management | ecology | | |
| Norton, G.A., & Pech, R.P. (1988). Vertebrate pest management in Australia - A Decision Analysis/Systems Analysis Approach. CSIRO Division of Wildlife & Ecology. Canberra Australia | | mammals | management | | | |
| Nunan, D., Henry, S. & Tennant, P. (1998). Long-footed Potoroo (<i>Potorous longipes</i>) Recovery Plan. Flora, Fauna & Fisheries Group, Gippsland Region. Department of Natural | | mammal | management | | | recovery plan |
| O'Brien, P.H. (1984) Feral goat home range: Influence of social class & environmental factors. App. Anim. Behav. Sci. 12: 373- | | goat | | ecology | | |
| O'Flynn, M. (1992). Animal welfare considerations. In: D. Freudenberger (ed.), Proceedings of the National Workshop on Feral Goat Management. pp 40-57 Bureau of Resource | | | management | | | |
| Oliver, A. J., Wheeler, S. H., & Gooding, C. D. (1982). Field evaluation of 1080 & pindone oat bait, & the possible decline in effectiveness of poison baiting for the control of the rabbit, <i>Oryctolagus cuniculus</i> . Australian Wildlife Research 9: 125- | | rabbit | management | | | |
| Olsen, P. (1997). Recovery Plan for the Norfolk Island Boobook Owl (<i>Ninox novaeseelandiae undulata</i>). Behavioural Ecology Group, Division of Botany & Zoology, Australian | | | | | | |
| Olsen, P. (1998). Australia's Pest Animals: New Solutions to Old Problems, Simon & Schuster / Kangaroo Press, NSW. | | | management | | | |
| Olsen, P.D. & Marples, T.G. (1992). Alteration of clutch size of raptors in response to a change in prey availability: evidence from control of a broad-scale rabbit infestation. Wildlife | | rabbit | | ecology | | |
| Orange-bellied Parrot Recovery Team (1998). Orange-bellied Parrot Recovery Plan 1998 - 2002. NSW Parks & Wildlife | | | | | | recovery plan |
| Orell, P. & Morris, K. (1994). Chuditch Recovery Plan 1992-2001. Western Australian Wildlife Research Centre, Department of Conservation & Land Management for Threatened Species & Communities Section, Biodiversity Group, | | | | | | recovery plan |
| Orr, T. & N.E. Milward, 1984. Reproduction & development of <i>Neosilurus ater</i> (Perugia) & <i>Neosilurus hyrtli</i> (Steindachner) (Teleostei: Plotosidae) in a tropical Queensland stream. Aust. J. | biology | fish | | | | |
| Osborne, P. L., (2000). Tropical Ecosystems & Ecological concepts. Cambridge University Press, Cambridge UK | | ecosystems | | ecology | | |
| Oxley, D.J., Fenton, M.B. & Carmody, G.R. (1973). The effects of roads on populations of small mammals. Journal of Applied | | | management | ecology | | |
| Palmer, R. (1996a) Feral Pest Program Project 12, Cat research & management in Queensland, year 3 & Project 43, Dispersal & spatial organisation of cats on the Diamantina Plains, year 2. Annual Report Number 2, 1995. Unpublished report to the | | cat | management | | | |
| Palmer, R. (1996b) Feral Pest Program Project 12, Cat research & management in Queensland, year 4 & Project 43, Dispersal & spatial organisation of cats on the Diamantina Plains, year 3. Interim Final Report, May 1996. Unpublished report to the | | cat | management | | | |

| | | | | | |
|--|---------|----------|------------|------------|---------------|
| Paltridge, R.M., Gibson, D.F. & Edwards, G.P. (1997). Diet of the feral cat (<i>Felis catus</i>) in central Australia. Wildlife Research | biology | cat | | | |
| Parer, I. (1991). Epidemiology of myxomatosis. In: B.J. Coman & J.H. Arundel, (eds.) Rabbit Control. pp. 43-79 Australian | | rabbit | management | | |
| Parer, I. & Korn, T. J. (1989). Seasonal incidence of myxomatosis in New South Wales. Australian Wildlife Research | | rabbit | management | | |
| Parer, I. & Libke, J. A. (1985). Distribution of rabbit, <i>Oryctolagus cuniculus</i> , Warrens in relation to soil type. | | rabbit | | ecology | |
| Parer, I. & Milkovits, G. (1994). Recolonisation by rabbits (<i>Oryctolagus cuniculus</i>) after warren ripping or warren fumigation. The Rangeland Journal 16: 51-63. | biology | rabbit | management | | |
| Parer, I. & Parker, B. S. (1986). Recolonisation by rabbits (<i>Oryctolagus cuniculus</i>) after warren destruction in western New South Wales. Australian Rangeland Journal 8: 150-152. | biology | rabbit | | | |
| Parer, I., Conolly, D. & Sobey, W.R. (1985). Myxomatosis: The effects of annual introduction of an immunizing strain & a highly virulent strain of myxoma virus into rabbit populations | biology | rabbit | | | |
| Parer, I., Sobey, W. R., Conolly, D., & Morton, R. (1995). Sire transmission of acquired resistance to myxomatosis. Australian | biology | rabbit | management | | |
| Parkes, J.P. (1983). Control of feral goats by poisoning with compound 1080 on natural vegetation baits & by shooting. | | goat | management | | |
| Parkes, J.P. (1993). The ecological dynamics of pest-resource-people systems. New Zealand Journal of Zoology 20: 223-230. | | | management | | |
| Parkes, J.P. & Nugent, G. (1995). Integrating control of mammalian pests to protect conservation values in New Zealand. Landcare Research Contract Report LC9495/104. Manaaki | | | management | | |
| Parkes, J., Henzell R. & Pickles G. (1996). Managing Vertebrate Pests: Feral Goats. Australian Government Publishing Service, | | goats | management | | |
| Paton, D. C. (1990). Domestic cats & wildlife. The Bird | | cat | management | ecology | |
| Pavlov, P. M., (1992). Investigation of feral pig populations & control measures – Cape Tribulation Section of the Wet Tropics World Heritage Area. Internal Report for Wet Tropics | | pigs | management | ecology | |
| Pavlov, P.M., Crome, F. H. J., & Moore, L. A., (1992). Feral Pigs, Rainforest conservation & Exotic Disease in North Queensland. Wildlife Research (19) 179-93 | | pigs | management | ecology | |
| Pech, R. & Hone, J. (1988). A model of the dynamics & control of an outbreak of foot & mouth disease in feral pigs. Journal of | | pigs | | management | |
| Pech, R. & Hone, J. (1992). Models of wildlife rabies. Contingency planning in Australia. In: O'Brien, P. & Berry, G. (eds.). Proceedings 11, pp. 147-156 Bureau of Rural | mammals | | | management | |
| Pell, A.S. & C.R. Tidemann, (1997a) The impact of two exotic hollow-nesting birds on two native parrots in savannah & woodland in eastern Australia Biological Conservation 79: | | mynas | | ecology | |
| Pell, A.S. & C.R. Tidemann (1997b) The ecology of the Common Myna in urban nature reserves in the Australian | | mynas | | ecology | |
| Peters, M. (1992). Animal welfare considerations & goat control in L.W. Best (ed.), Feral Goat Seminar Proceedings. Department of Environment & Planning, Adelaide. | | goat | management | | |
| Peterson, A.T., & Navarro-Siguenza A.G., (1999). Alternate species concepts as bases for determining priority conservation areas. Conservation Biology 13 (2) 427-431 | | | management | ecology | |
| Petren, K., & Case, T.J., (1998). Habitat structure determines competition intensity & invasion success in gecko lizards Proceedings from National Academy of Sciences 95(20) 11739- | | reptiles | | ecology | |
| Pettigrew, J. D. (1993). A burst of feral cats in the Diamantina—a lesson for the management of pest species? In: G. Seipen & C. Owens (eds.). Cat management workshop. Queensland | | cat | management | | |
| Pettigrew, J.D. (1993). A burst of feral cats in the Diamantina—a lesson for the management of pest species? In: G. Seipen & C. Owens (eds.). Cat management workshop. Queensland | | cats | management | ecology | |
| Pierson, C. (1994). C.A.T.S. Cats assistance to sterilise (Inc): Summary of the findings of C.A.T.S. six year study & recommendations for a cat management program. C.A.T.S. (Inc), | | cat | management | | |
| Pimm, S. L., (1989). Theories of predicting success & impact of introduced species in Drake J.A., Mooney, H. A., di Castri, F., Groves, R.H., Kruger, F. J., Rejmanek, M., & Williamson, M., (eds.) Biological Invasions: a global perspective. SCOPE 37 | | | management | ecology | |
| Pollard, D.A. (ed.), (1990). Australian Society for Fish Biology Workshop: Introduced & translocated fishes & their ecological effects. Bureau of Rural Resources Proceedings No.8. Australian Government Publishing Service, Canberra. | biology | fish | | ecology | |
| Pollard, D.A., 1971. The biology of a landlocked form of the normally catadromous salmoniform fish, <i>Galaxias maculatus</i> (Jenyns) 1. Life cycle & origin. Aust. J. Mar. Freshw. Res. 22. | biology | fish | | | |
| Pollard, D.A., Ingram, B.A., Harris, J.H., & Reynolds, L.F., (1990). Threatened fishes in Australia - an overview. J. Fish. | | fish | | | |
| Pollard, D.A., Llewellyn, L.C. & Tilzey, R.D.J. Management of freshwater fish & fisheries. pp.227-270 In: Williams, W.D. (ed.) 'An Ecological Basis for Water Resources Management'. A.N.U. | | fish | management | | |
| Pople, A.R., Clancy, T.F. & Thompson, J.A. (1996). Control & Monitoring of Feral Goats in Central-Western Queensland. A report to the Australian Nature Conservation Agency, Canberra. | | goat | management | | |
| Pridel, D. & Carlile, N. (1996). Recovery Plan for Gould's Petrel (<i>Pterodroma leucoptera</i>) National Parks & Wildlife Service for Threatened Species & Communities Section, | | | | | recovery plan |
| Pusey, B. J., & Kennard, M. J., (1994). The freshwater fauna of the Wet Tropics Region of northern Queensland. Consultancy Report for the Wet Tropics Management Authority, Cairns. | biology | fish | | ecology | |
| Queensland Department of Environment (1995). Draft: Conservation of the Mahogany Glider, <i>Petaurus gracilis</i> . The State of Queensland. Department of Environment & Heritage. | | | | | recovery plan |

| | | | | | | | |
|---|---------|------------|------------|---------|-------------------------------|---------------|----------|
| Queensland DNR (1996). Feral Pigs in Queensland www.dnr.qld.gov.au/resourcenet/fact_sheets/pdf_files/pa6.pdf | | pigs | | | | | web site |
| Queensland Museum (2000). Wildlife of Tropical NQ Queensland. Queensland Museum Publication, Brisbane. | biology | mammals | | ecology | | | |
| Ramsay, B.J. (1994). Commercial use of wild animals. Bureau of Resource Sciences, Australian Government Publishing | | | management | | | | |
| Reark Research Pty Ltd. (1994). The metropolitan domestic cat. A survey of the characteristics & hunting behaviour of the domestic cat in Australia. Petcare Information & Advisory | | cat | | ecology | | | |
| Rees, G., Johnson, P. & Nolan, B. (1997). Review of Recovery Plan for the Proserpine Rock-wallaby (<i>Petrogale persephone</i>). Queensland Department of Environment, Northern Region for Threatened Species & Communities Section, Biodiversity | | | | | Proserpine Rock Wallaby | recovery plan | |
| Ricciardi, A., & Rasmussen, J.B., (1998). Predicting the identity & impact of future biological invaders: a priority for aquatic resource management Canadian Journal of Aquatic | | | management | ecology | | | |
| Richardson, B.A. (1994). The human impacts on the ecology of freshwater fish in western New South Wales [human-induced changes to waterways & catchment & recreational fishing have adversely affected fish fauna. In: Lunney, D., Hand, S., Reed, P. & Butcher, D. (eds.) Future of the Fauna of Western New | | fish | management | | | | |
| Richardson, D. M., Pysek, P. Rejmanek M., Barbour, M.G., Panetta, R. D., West, C. J., (2000). Naturalisation & invasion of alien plants: concepts & definitions. Diversity & Distributions | | plants | management | | | | |
| Robinson, A. J. & Holland, M. K. (1995). Testing the concept of virally vectored immunosterilisation for the control of wild rabbit & fox populations in Australia. Australian Veterinary | | rabbit,fox | management | | | | |
| Russell, D.J., Hales, P.W., & Helmke, S.A., (1996). Stream Habitat & fish resources in the Russell & Mulgrave Rivers. Catchment Information Series # Q196008 Department of Primary | | fish | | | | | |

| | | | | | | |
|--|---------|------------------|------------|---------|-----------------------------|---------------|
| Russell, D. J., McDougall, A. J., Ryan, T. J., Kistel, S. E., Aland, G., Cogle, A. L., & Langford, P. A., (2000). Stream habitat, fisheries resources & biological indicators Department of Primary Industries, Queensland Government Printing Services, | biology | freshwater fauna | management | | | |
| Russell, G. & Pope, S. (1993). Ethics & control. Pp 35-41 in B. D. Cooke (ed.), Australian Rabbit Control Conference, Adelaide, (1993). Anti-Rabbit Research Foundation of | | | management | | | |
| Saunders, G. (1987). Conservation - a case for co-operation between governments. Paper presented to NADC Annual Conference, Bundaberg, 16-17 October 1987. 7 pp. | | | management | | | |
| Saunders, G. & Bryant, H. (1988). The evaluation of a feral pig eradication program during a simulated exotic disease outbreak. | | pig | management | | | |
| Saunders, G., & Harris, S., (2000). Evaluation of attractants & bait preferences of captive red foxes (<i>Vulpes vulpes</i>). Wildlife | | fox baiting | management | | | |
| Saunders, G., Coman, B., Kinneer, J. & Braysher, M. (1995). Managing vertebrate pests: foxes. Bureau of Resource Sciences, Australian Government Publishing Service, Canberra. | | fox | management | | | |
| Saunders, G., Greentree, C. & McLeod L. (1997). Fox predation: impact & management on agricultural land & associated remnant habitats. Final report to the Bureau of Resource Sciences, Department of Primary Industries & Energy, | | fox | management | ecology | | |
| Saunders, G., McLeod, S., & Kay, B., (2000). Degradation of sodium monofluoroacetate (1080) in buried fox Baits. Wildlife | | poison | management | | | |
| Sax, D.F., & Brown, J.H., (2000). The paradox of invasion | | | | ecology | | |
| Global Ecology & Biogeography 9:363-371 | | | | | | |
| Schmidt, C., Felderhof, L., Kanowski, J., Stirn, B., Wilson, R. & Winter, J.W. (2000). Tree-Kangaroos on the Atherton Tablelands: Rainforest Fragments as Wildlife Habitat. Information for Shire Councils, Land Managers & the Local | | mammals | management | | tree kangaroo | |
| Schodde, R., & Tidemann, S.C. (eds.) (1983) Readers Digest Book of Australian Birds Readers Digest Services, Sydney | biology | birds | | | | |
| Shea, S. (1996). Good news on feral cats. Forum, The Bulletin, Newsweek International. Sydney. | | cat | | | | |
| Shepherd, R. (1996). Eradication of feral goats, Peron Peninsula, Western Australia. Progress report to Australian Nature Conservation Agency, FPP Project No. 48. | | goats | management | | | |
| Short, J. & Hone, J. (1989). Calibrating aerial surveys of kangaroos by comparison with drive counts. Australian Wildlife | | | | | | |
| Short, J. & Turner, B. (1993). Reintroduction of the Burrowing Bettong (<i>Bettongia lesueur</i>) to Heirisson Prong, Shark Bay, Western Bay, Western Australia. CSIRO Division of Wildlife & Ecology for Threatened Species & Communities Section, | | | | | Burrowing Bettong | recovery plan |
| Short, J., Turner, B., Danielle, A., Risbey, A. & Carnamah, R. (1997). Control of Feral Cats for Nature Conservation. II. Population Reduction by Poisoning. Wildlife Research, 24: | | cat | management | | | |
| Simberloff, D., (1981) Community effects of introduced species in Nitecki, M. H. (ed.) Biotic Crises in Ecological & Evolutionary Time, pp 53-83. Academic Press New York. | | | management | ecology | | |
| Singleton, G. R., (1995). House Mouse In: Strahan, R., (ed.) The Australian Museum Complete Gook of Australian Mammals. | | mouse | | | | |
| Slater, P., Slater, P., & Slater, R., (1986). The Slater Field Guide to Australian Birds. Landsdowne-Rigby Publishers, | biology | birds | | | | |
| Smith, A.P. (1997). Hastings River Mouse (<i>Pseudomys oralis</i>) Recovery Plan. NPWS, Hurstville, Sydney. | | mouse | | | | recovery plan |
| Smith, A.P. and. Quin, D.G. (1996). Patterns & causes of extinction & decline in Australian conilurine rodents. | | rodents | | ecology | | |
| Smith, W.J.S. & Robertson, P. (1997). Recovery Plan for the Striped Legless Lizard (<i>Delma impar</i>). NSW National Parks & Wildlife Services for Threatened Species & Communities Section, Biodiversity Group, Environment Australia, Canberra. | | | | | Striped legless lizard | recovery plan |
| Smyth, A. (1995). Recovery Plan for the Black-breasted Button-Quail. Department of Zoology & Department of Geographical Sciences & Planning, The University of Queensland. | | bird | | | Black breasted button quail | recovery plan |

| | | | | | | |
|---|---------|------------------------|------------|---------|---------------|---------------|
| Sobey, W. R. & Conolly, D. (1986). Myxomatosis: non-genetic aspects of resistance to myxomatosis in rabbits, <i>Oryctolagus cuniculus</i> . Australian Wildlife Research 13: 177- | biology | rabbit | | | | |
| Southgate, R. (1997). Recovery Plan for the Greater Bilby (<i>Macrotis lagotis</i>). Parks & Wildlife of the Northern Territory for Threatened Species & Communities Section, Biodiversity | | mammal | | | Greater Bilby | recovery plan |
| Southwell, C., Weaver, K., Sheppard, N. & Morris, P. (1993). Distribution & relative abundance of feral goats in the rangelands of eastern Australia. Aust. Rangel. J. 15:334-8 | | goats | | ecology | | |
| Speare, R., & Berger, L., (2000). Chytridiomycosis in amphibians in Australia. | | amphibians | | ecology | | web site |
| Speare, R., (1990). A review of the diseases of the cane toad, <i>Bufo marinus</i> with comments on biological control Australian | | toads | management | ecology | | |
| Species Survival Commission (2000). Guidelines for the prevention of biodiversity loss caused by invasive species | | | management | | | web site |
| Start, A.N. (1996). Southern Dibbler, <i>Parantechinus apicalis</i> Interim Recovery Plan. Western Australian Threatened Species & Communities Unit, Department of Conservation & Land | | bird | | | | recovery plan |
| Stodart, E. & Parer, I. (1988). Colonisation of Australia by the rabbit. CSIRO Division of Wildlife & Ecology Project Report | | rabbit | | ecology | | |
| Stone, C. P., & Loope, L. L. (1987). Reducing negative effects of introduced animals on native biotas in Hawaii: What is being done, What needs doing, & the Role of National Parks. | | | management | ecology | | |
| Stone, C.P., & Stone D.B., (1989). Conservation biology in Hawaii University of Hawaii Press Honolulu Hawaii. | biology | | management | | | |
| Strahan, R. (1995). The Mammals of Australia. Reed Books, | biology | mammals | | | | |
| Strahan, R. (ed.) (1995)., The Mammals of Australia, Reed Books Australia, Chatswood, NSW. | biology | mammals | | | | |
| Strahen, R., (1993). The complete book of Australian Mammals Angus & Robertson Publishers, Sydney. | biology | mammals | | | | |
| Taylor, D. & Katahira L. (1988). Radio telemetry as an aid in eradicating remnant feral goats. Wildl. Soc. Bull. 16:297-299. | | goats | management | | | |
| Thackway, R. & Cresswell, I.D. (eds.) (1995). An Interim Biogeographic Regionalisation for Australia: A framework for establishing the national system of reserves, Version 4.0. | | | management | | | |
| Thomas P. A., (in press) Weed Risk Assessment & Prevention in Hawaii: status & Practicalities. In 1st International Workshop | | | management | | | |
| Thompson, J. A. & Fleming, P. J. S. (1994). Evaluation of the efficacy of 1080 poisoning of red foxes using visitation to non-toxic baits as an index of fox abundance. Wildlife Research 21: | | fox | management | | | |
| Thomson, P. C. (1986). The effectiveness of aerial baiting for the control of dingoes in north-western Australia. Australian | | dingoes | management | | | |
| Thomson, P. C. & Algar, D., (2000). The uptake of dried meat baits by foxes & investigations of baiting rates in Western Australia. Wildlife Research 27 (5) :451-456 | | fox | management | | | |
| Thomson, P. C., Marlow, N. J., Rose, K., & Kok, N.E., (2000). The effectiveness of a large-scale baiting campaign & an evaluation of a buffer zone strategy for fox control Wildlife | | fox | management | | | |
| Tidemann, C. R. (1994). Do cats impact on wildlife? In: D. Paxton (ed.). Urban animal Management, Proceedings of the third national conference on urban animal management in | | cat | management | ecology | | |
| Tracey, J.G. (1982). The vegetation of the humid tropical region of north Queensland. CSIRO, Melbourne. | | wet tropics | | | | |
| Trueman, P. (1991). The Impact of Domestic Cats on the Wildlife of Hobart. Unpublished thesis submitted to the | | cat | | ecology | | |
| Tsernjavski, N. (1991). Recreational fishing in national parks. Parkwatch, 167 : 13-15. | | fish | management | | | |
| Twigg, L.E. & King, D.R. (1991). The impact of fluoroacetate-bearing vegetation on the Australian fauna: a review. Oikos 61:412-30 | | native vegetation,1080 | | ecology | | |

| | | | | | | |
|--|---------|-------------|------------|---------|--|----------|
| Tyler, M. (1996). Cane toad control. <i>Aust. Biologist</i> 9(4): 120- | | toad | management | | | |
| Tyndale-Biscoe, C. H. (1991). Fertility control in wildlife. <i>Reproductive Fertility & Development</i> 3: 339-343. | | | management | | | |
| Tyndale-Biscoe, C. H. (1994). Virus-vectored immunosuppression of feral mammals. <i>Reproductive Fertility & Development</i> 6: 339-343. | | mammals | management | | | |
| Tyndale-Biscoe, C.H. (1994). Virus-vectored immunosuppression of feral mammals. In: M.P. Bradley (ed.), <i>Immunological control of fertility: from gametes to gonads</i> . University of Nebraska (2000). Pest Education Unlimited University of Nebraska USA | | | management | | | |
| Unmack, P., (1998). <i>Gambusia Control Home Page</i> | | gambusia | management | ecology | | web site |
| Usher, M. B., (1989). Ecological Effects of controlling invasive terrestrial vertebrates. In: Drake J.A., Mooney, H. A., di Castri, F., Groves, R.H., Kruger, F. J., Rejmanek, M., & Williamson, M., (eds.) <i>Biological Invasions: a global perspective</i> . SCOPE 30: 1-12. | | | management | ecology | | |
| Valentine, P.S. (1983). Rainforest recreation: a review of experience in northern Australia. Paper presented to a workshop on The Past, Present & Future of Australian Rainforests, Griffith University | | | management | | | |
| Van Rensburg, P. J. & Bester, M. N. (1988). The effect of cat, <i>Felis catus</i> predation on threaten breeding procellariidae species on Marion Island. <i>South African Journal of Zoology</i> 17: 1-6. | | cat | management | | | |
| Van Rensburg, P. J., Skinner, J. D. & Van Aarde, R. J. (1987). Effects of feline panleucopaenia on the population characteristics of feral cats on Marion Island. <i>Journal of Applied Ecology</i> 24: 1-12. | | cat | management | | | |
| Veitch, C. R. (1985). Methods of eradicating feral cats from offshore islands in New Zealand. ICBP Technical Publication 10: 1-12. | | cat | management | | | |
| Wager, R. (1994). Fish translocation & biodiversity of Queensland freshwater fishes. <i>Australian Biologist</i> , 7(1) : 23-27. | | fish | | | | |
| Wager, R. & Jackson, P., (1993). The Action Plan for Australian Freshwater Fishes. Endangered Species Program. Australian Nature Conservation Agency: Canberra. | | fish | management | | | |
| Wager, R., (1993). The distribution & conservation status of Queensland freshwater fishes. Queensland Department of Primary Industries Information Series. | biology | fish | management | | | |
| Walker, K.F. (1985). A need for more conservation reserves. In: Davies, P.S. & Moore, P.J. 'Who Owns the Murray? A South Australian Perspective'. pp.81-90 River Publications, Adelaide. | | fish | management | | | |
| Watts, C. H.S., (1995). Black Rat. In: Strahan, R., (ed.) <i>The Australian Museum Complete Book of Australian Mammals</i> . | | black rat | | | | |
| Webb, L.J. (1984). Conservation status of the rainforests of north Queensland. In: Werren, G.L. & Kershaw, A.P. (eds.), <i>Australian Rainforest Study, Vol.3. (Proceedings of a workshop on The Past, Present & Future of Australian Rainforests, Griffith University)</i> | | wet tropics | management | | | |
| Webb, L.J. & Tracey, J.G. (1981a). The rainforests of northern Australia. In: Groves, R.D. (Ed.), <i>Australian Vegetation</i> . Cambridge University Press, Cambridge. Pp. 67-101. | | wet tropics | | ecology | | |
| Webb, L.J. & Tracey, J.G. (1981b). Australian rainforest: patterns & change. In: Keast, A. (Ed.), <i>Ecological Biogeography of Australia</i> . Junk, The Hague. Pp. 605-694. | | wet tropics | | ecology | | |
| Werren, G.L., (1993). Size & diet of <i>Bufo marinus</i> in rainforest of north eastern Queensland <i>Memoirs of the Queensland Museum</i> 43: 1-12. | biology | toads | | | | |
| Werren, G.L., Goosem, S., Tracey, J.H., Stanton, J.P. (1995). <i>The Australian Wet Tropics: Centre of Plant Diversity in World Centres of Plant Diversity 2</i> (eds.) Davis, S.D., Heywood, V.H., & Hamilton, A.C., Oxford Information Press, WWF/ICUN | | wet tropics | | ecology | | |
| Wet Tropics Management Authority (1995). <i>Draft Wet Tropics Plan</i> . Cairns. Australia | | wet tropics | management | ecology | | |
| Wharton, J. (1976) <i>Conservation of fish</i> . Victoria's Resources, Victoria | | fish | management | | | |
| Wheeler, S. H., King, D. R., & Robinson, M. H. (1981). Habitat utilization by the European rabbit, <i>Oryctolagus cuniculus</i> (L.), as determined by radio-tracking. <i>Australian Journal of Zoology</i> 30: 1-12. | | rabbit | | ecology | | |
| Williams, C. K. & Moore R. J. (1995). Effectiveness & cost-efficiency of control for the wild rabbit, <i>Oryctolagus cuniculus</i> (L.), by combinations of poisoning, ripping, fumigation & trapping. <i>Australian Journal of Zoology</i> 44: 1-12. | | rabbit | management | | | |
| Williams, C. K. & Moore, R. J. (1991). Inheritance of acquired immunity to myxomatosis. <i>Australian Journal of Zoology</i> 39: 1-12. | biology | rabbit | management | | | |
| Williams, C. K., Moore, R. J., & Robbins, S. J. (1990). Genetic resistance to myxomatosis in Australian wild rabbits, <i>Oryctolagus cuniculus</i> . <i>Australian Journal of Zoology</i> 38: 1-12. | | rabbit | management | | | |
| Williams, C.K. (1997). Ecological challenges to controlling wild rabbits in Australia using virally-vectored immunosuppression. R. M. Timm & A.C. Crabb (Eds.) <i>Proceedings of the 17th Vertebrate Pest Conference</i> , Rohnert Park, CA | | rabbits | management | ecology | | |
| Williams, K., Parer, I., Coman, B., Burley, J. & Braysher, M. (1995). <i>Managing vertebrate pests: rabbits</i> . Bureau of Resource Sciences, Australian Government Publishing Service, Canberra. | | rabbits | management | | | |
| Williams, R. & Munro, R. (1994). Possible costs & benefits of RHD. Pp. 79-90 In: R. K. Munro & R. T. Williams, (eds.) <i>Rabbit Haemorrhagic Disease: Issues in Assessment for Biological Control</i> , Bureau of Resource Sciences, Australian Government Publishing Service, Canberra. | | rabbits | management | | | |
| Williams, S. E., Pearson, R. G., & Walsh, P. J. (1996). Distributions & biodiversity of the terrestrial vertebrates of Australia's wet Tropics: a review of current knowledge. <i>Pacific Conservation Biology</i> 1: 1-12. | | wet tropics | | ecology | | |
| Williams, C. K., Parer, I., Coman, B. J., Burley, J., & Braysher, M. L. (1995). <i>Managing vertebrate pests: rabbits</i> . Bureau of Resource Sciences/ CSIRO Division of Wildlife and Ecology, Canberra. | | rabbits | management | | | |
| Wilson, G., Dexter, N., O'Brien, P. & Bomford, M. (1992). <i>Pest animals in Australia. A survey of introduced wild mammals</i> . Australian Government Publishing Service, Canberra. | | | management | | | |
| Winstanley, R. K., (2000). Morphological change & fat accumulation in juvenile red foxes (<i>Vulpes vulpes</i>) in the Central Tablelands of New South Wales. <i>Wildlife Research</i> 27: 1-12. | | fox | management | | | |

| | | | | | | | |
|--|---------|---------|------------|---------|--------------------------|--|----------|
| Winter, J.W. (1987). Lemuroid ringtail possum. Australian Natural History 22: 313. | biology | mammal | | | lemuroid ringtail possum | | |
| Winter, J.W., Bell, F.C., Pahl, L.I. & Atherton, R.G. (1984). The specific habitats of selected north-eastern Australian rainforest mammals. Monographed report to World Wildlife | | mammals | | ecology | | | |
| Woinarski, J.C.Z., & Fisher, A., (1999). The Australian Endangered Species Protection Act 1992 Conservation Biology | | | management | | | | |
| Wong, D.H., Kirkpatrick, W.E., King, D.R. & Kinnear, J.E. (1992). Environmental factors & microbial inoculum size, & their effect on the biodefluorination of sodium monofluoroacetate (1080). Soil Biology & Biochemistry. 24:839-43. | | poison | management | ecology | | | |
| Woolley, P.A. (1998). Ecology of the Julia Creek Dunnart <i>Sminthopsis douglasi</i> : habitat requirements & the impact of | | mammals | | ecology | | | |
| World Heritage Protected Areas Programme UNEP World Conservation Monitoring Centre email:info@unep-wcmc.org http://www.wcmc.org.uk/protected_areas/data/wh/wettropi.html | | | | | | | web site |
| Xu, Z. J. & Chen, W. X. (1989). Viral haemorrhagic disease in rabbits: a review. Veterinary Research Communications 13: 205- | | rabbits | management | | | | |
| Yarrow, G.K., (2000). 2000 Pest Management Handbook Clemson University Cooperative Service, South Carolina. | | | management | | | | |
| Zupanovic, Z., Lopez, G., Hyatt, A.D., Green, B., Bartran, G., Parkes, H., Whittington, R.J., Spear, R., (1998). Giant toads <i>Bufo marinus</i> in Australia & Venezuela have antibodies against 'ranaviruses', Diseases of Aquatic Organisms, Vol. 32, 1-8 | | toad | management | | | | |
| Zupanovic, Z., Musso, C., Lopez, G., Louiero, C.L., Hyatt, A.D., Hengstberger, S., Robinson, A.J. (1998). Isolation & characterisation of iridoviruses from the giant toads, <i>Bufo</i> | | toad | management | | | | |